

Publications involving current or past FPA-associated author	Available Online	Obtain from FPA or author
<b>2020</b>		
Baker, SC, <b>Chuter, A, Munks SA</b> and <b>Koch, AJ</b> 2020, 'Retention of large, old trees in alternatives to clearcutting with a comparison of ground- and helicopter-based assessments', <i>Forest Ecology and Management</i> , Volume 475, 1 November 2020, 118390.	<a href="#">Here</a>	
Burke, B, <b>Slee, A, McIntosh, PD</b> , Hofmann, H, and Shulmeister, J 2020, 'A reactivated cave system induces rapidly developing cover-collapse sinkholes in Tasmania, Australia', <i>Journal of Cave and Karst Studies</i> , March 2020.	<a href="#">Here</a>	
McIntosh, Peter D, Hardcastle, James L, Klöffel, Tobias, Moroni, Martin, and Santini, Talitha C 2020, 'Can carbon sequestration in Tasmanian "wet" Eucalypt forests be used to mitigate climate change? Forest succession, the buffering effects of soils, and landscape processes must be taken into account', <i>Hindawi International Journal of Forestry Research</i> , Volume 2020, Article ID 6509659, 16 pages.	<a href="#">Here</a>	
<b>Munks, SA, Chuter, AE</b> and <b>Koch, AJ</b> 2020, 'Off-reserve' management in practice: Contributing to conservation of biodiversity over 30 years of Tasmania's forest practices system, <i>Forest Ecology and Management</i> Volume 465, 1 June 2020, 117941.		√
<b>2019</b>		
<b>Hardcastle, JL</b> 2019, 'Changes in carbon and other soil properties with succession of mixed forests to rainforests in Tasmania', Honours thesis, University of Queensland.		√
<b>Klöffel, T</b> 2019, 'Comparison of soil organic matter quality under wet eucalypt and old-growth rainforests in Tasmania', Masters Thesis, Technical University of Munich.		√
<b>Klöffel, T, McIntosh, P</b> and <b>Müller, C</b> 2019, 'Comparison of topsoil and subsoil organic matter quality under mixed eucalypt forests and old-growth rainforests in Tasmania', paper presented at the European Geosciences Union (EGU) conference, Munich, 7–12 April 2019.		√
<b>MacNeil, A</b> , 2019, 'The Co-ordinated Smoke Management System: A smoke management tool for planned burns in Tasmania', paper presented at an international Workshop on Biomass Smoke in the Human Environment, Melbourne Law School, Carlton, Victoria 17–19 June 2019		√
Onfray, R. 2019, 'Cultural artefacts or 'neglected old parks': the colonisation of rainforests in north-western Tasmania', pp. 313–336 in BJ Stubbs (ed), <i>Australia's Ever-changing Forests VI; Proceedings of the Eighth National Conference on Australian Forest History</i> .		√
<b>Pay, J</b> 2019, 'Investigating the conservation requirements of the endangered Tasmanian wedge-tailed eagle ( <i>Aquila audax fleayi</i> )', PhD thesis, University of Tasmania.		√
<b>Slee, AJ</b> and Stoios, A 2019, 'An Unusual Polygenetic Cave: Fishers Tier Cave, Ben Lomond; Tasmania', <i>Journal of the Southern Tasmanian Caverneers, Speleo Spiel</i> 2019, Issue 430, pp. 23–26.		√
<b>Slee, A</b> 2019, <i>A reconnaissance survey of the Trowutta-Sumac karst</i> , Forest Practices Authority Scientific Report 25, Forest Practices Authority, Hobart.	<a href="#">Here</a>	
<b>Slee, AJ</b> and <b>McIntosh, PD</b> 2019, 'Are the orthoquartzite towers and caves on the Borradaile Plains, Tasmania, formed by dissolution and arenisation?', <i>Helictite</i> , (2019) 45: 27-37	<a href="#">Here</a>	
<b>Slee, AJ</b> and <b>McIntosh, PD</b> 2019, 'The geomorphology of landslides triggered by heavy rainfall in June 2016 in northern Tasmania', poster paper, ANZGG conference, Inverloch, Victoria, 4–8 February, 2019.		√

<b>Slee, A, McIntosh, PD</b> , Webb, J, Sharples, C and Williams, K 2019, 'Managing geomorphic values within Tasmanian plantations on karst terrain', <i>Australian Forestry</i> 82(3):127–138.	<a href="#">Here</a>	
<b>2018</b>		
Bell, P 2018, <i>Assessing the effectiveness of Forest Practices Code provisions for the threatened chaostola skipper</i> <i>Antipodia chaostola leucophaea</i> , Forest Practices Authority Scientific Report 21, Forest Practices Authority, Hobart.	<a href="#">Here</a>	
Bell, P 2018, <i>Assessing the effectiveness of Forest Practices Code provisions for the threatened Marrawah skipper</i> <i>Oreisplanus munionga larana</i> , Forest Practices Authority Scientific Report 22, Forest Practices Authority, Hobart.	<a href="#">Here</a>	
<b>Bell, P</b> 2018, 'Butterfly conservation in Tasmania', Australian Entomological Society conference, Alice Springs, September 2018.		√
<b>Bell, P</b> 2018, 'Options for controlling predation of Ptunarra brown butterflies by introduced European wasps on a plantation estate in north west Tasmania', <i>Australian Wildlife Management Society conference, Hobart, December 2018</i> .		√
<b>Burke, B</b> 2018, 'An investigation of sinkhole formation in Railton, Tasmania', Honours Thesis, University of Queensland.		√
<b>Chuter, A</b> , 2018, 'Managing biodiversity across the landscape: an approach developed for the Tasmanian forest practices system', paper presented at the Australasian Wildlife Management Society Conference 2018, Hobart, Tasmania, December 2018.		√
<b>Chuter, A</b> and Crane A 2018, <i>Procedures for the management of threatened species under the forest practices system: Report on implementation during 2017–18</i> , report to the Board of the FPA and the Secretary of DPIPWE, Hobart, Tasmania. <a href="#">Available on FPA website</a>		√
<b>Farrell, A</b> 2018, 'Late Quaternary environments for the uplands of northeast Tasmania: a new record for the Nicholas Range', Honours Thesis, University of Queensland.		√
<b>Gardner, A</b> , 2018, 'A review of wicked problems: managing a threatened bird in Tasmanian production forests', paper presented at the Australasian Wildlife Management Society Conference, Hobart, Tasmania, December 2018.		√
<b>Kay, K</b> 2018, 'Flinders Island: issues and tools for biodiversity conservation in a multi-use island landscape', Australasian Wildlife Management Society Conference, Hobart, Tasmania, December 2018.		√
<b>Koch, A</b> 2018, <i>Monitoring the effectiveness of the biodiversity provisions of the Tasmanian Forest Practices Code 2018–19 summary report</i> , report for the Board of the FPA and the Secretary of the DPIPWE, Forest Practices Authority Scientific Report 24, Hobart, Tasmania.	<a href="#">Here</a>	
<b>Koch AJ, Chuter A</b> , Barmuta LA, <b>Turner PAM</b> , and <b>Munks SA</b> 2018, 'Long-term survival of trees retained for hollow-using fauna in partially harvested forest in Tasmania, Australia', <i>Forest Ecology and Management</i> 422, 263-272.		√
<b>Koch, AJ</b> , Webb, M, Cawthen, L, Livingston, D and <b>Munks, SA</b> 2018, 'Managing mature forest features: The production, accuracy and ecological relevance of a landscape-scale map,' <i>Ecological Management &amp; Restoration</i> 19(3): 247-256. :	<a href="#">Here</a>	
<b>Koch, A</b> and <b>Munks, S</b> 2018, 'A proposed strategy for maintaining mature forest habitat in Tasmania's wood production forests,' <i>Ecological Management &amp; Restoration</i> 19(3): 239-246.	<a href="#">Here</a>	
<b>Mann, D &amp; Munks, S</b> 2018, 'Research to Regulation: Adaptive management for conservation of wide-ranging threatened forest fauna', Australasian Wildlife Management Society Conference, Hobart, Tasmania, December 2018.		√
<b>Munks, S</b> , 2018, 'Capacity building in Papua New Guinea: Contributing to the conservation of forest wildlife', paper presented at the Australasian Wildlife Management Society Conference, Hobart, Tasmania, December 2018.		√
Neudorf, CM, Lian, OB, <b>McIntosh, PD</b> , Gingerich, TB and Augustinus, PC 2018, 'Investigation into the OSL and TT-OSL age estimates of ancient (>100 ka) Tasmanian aeolian quartz and its utility as a geochronometer for understanding long-term climate-driven landscape change', <i>Quaternary Geochronology</i> vol 53.	<a href="#">Here</a>	√

Sharples, C, <b>McIntosh, P</b> and Comfort, M 2018, 'Geodiversity and geoconservation in land management in Tasmania – a top-down approach', in E Reynard and J Brilha (Eds) <i>Geoheritage: Assessment, Protection, and Management</i> , pages 355– 371 Elsevier, Amsterdam.		√
<b>Turner, P</b> , 2018, 'A tale of two snails', paper presented at the Australasian Wildlife Management Society Conference, Hobart, Tasmania, December 2018.		√
<b>Vink, J</b> 2018, 'Late Glacial to Early Holocene Environments of Yellow Marsh, Surrey Hills in North West Tasmania', Honours Thesis, University of Queensland.		√
<b>2017</b>		
<b>Forest Practices Authority</b> 2017, <i>Biodiversity Landscape Planning Guideline: a framework for taking account of biodiversity values at a landscape scale in areas regulated by the Tasmanian forest practices system</i> , Forest Practices Authority.	<u>Here</u>	
<b>Forest Practices Authority</b> 2017, <i>Environment and heritage tree assessment framework and guidelines</i> , report for Environment and Development Approvals, Tasmanian Department of State Growth, Forest Practices Authority, Hobart, Tasmania.		√
<b>Forest Practices Authority, 2017</b> <i>Managing threatened flora species in areas planned for fuel reduction burning: Background document 1: Project overview, key terms and legislation</i> , Forest Practices Authority, Hobart, Tasmania.	<u>Here</u>	
<b>Forest Practices Authority</b> 2017, <i>Treefern management plan for the sustainable harvesting, transporting or trading of Dicksonia antarctica in Tasmania 2017</i> , Management plan prepared for the Tasmanian Government and Australian Government.	<u>Here</u>	
<b>Forest Practices Authority, 2017</b> <i>Vegetation associations, impact of fires and management recommendations</i> , Forest Practices Authority, Hobart, Tasmania.	<u>Here</u>	
<b>Kay, K</b> 2017, 'Managing saltmarsh communities in Tasmania – case study: Pipe Clay Lagoon' presentation to <i>Australian Mangrove and Saltmarsh Network Conference</i> , 21–24 March 2017, Hobart, Tasmania.		√
<b>Lunn, T, Munks, SA, Carver, S</b> 2017, 'The impacts of timber harvesting on stream biota – an expanding field of heterogeneity,' <i>Biological Conservation</i> 213 154–166.		√
<b>Lyall, J</b> 2017, <i>Distribution of native and invasive mammalian carnivores in a forestry and agricultural landscape in northwest Tasmania</i> , thesis submitted in partial fulfilment of the requirements for the degree of Master of Life Science at the University of Tasmania.		√
<b>Macgregor, JW, Holyoake, C, Munks, S, Connolly, JH, Robertson, ID, Fleming, PA, Lonsdale, RA &amp; Warren, K</b> 2017, 'Assessing body condition in the platypus ( <i>Ornithorhynchus anatinus</i> ): a comparison of new and old methods,' <i>Australian Journal of Zoology</i> , 64(6), 421–429.		√
<b>Munks, S, and Crane, A</b> 2017, <i>Procedures for the management of threatened species under the forest practices system: Report on implementation during 2016–17</i> , report to the Board of the Forest Practices Authority and DPIPWE.		√
<b>Munks SA</b> 2017, <i>Platypus in Tasmanian Headwaters</i> , presentation at UNSW Platypus Symposium at Taronga Zoo, Sydney, NSW, May 2017.		√
<b>Munks, SA and Mann, DM</b> 2017, <i>Biodiversity conservation and management in native production forests in Western Australia – notes from a brief study tour</i> , Report to the Board of the Forest Practices Authority, July 2017.	<u>Here</u>	
<b>Slee, AJ, McIntosh, PD</b> and Barrows TT 2017, Using <sup>36</sup> Cl exposure dating to date mass movement and assess land stability on the Nicholas Range, Tasmania, <i>Landslides</i> 14, 2147–2154.	<u>Here</u>	
<b>Todd, MK, Kavanagh, RP, Bell, P, and Munks SA</b> 2017, Calling behaviour of the Tasmanian Masked Owl <i>Tyto novaehollandiae castanops</i> , <i>Australian Zoologist</i> In-Press.	<u>Here</u>	
Webb, MH, Terauds, A, Tulloch, A, <b>Bell, P, Stojanovic, D</b> and Heinsohn, R 2017, 'The importance of incorporating functional habitats into conservation planning for highly mobile species in dynamic systems,' <i>Conservation Biology</i> , doi:10.1111/cobi.12899.		√

<b>2016</b>		
<b>Bell, P</b> 2016, <i>Ptunarra brown butterfly conservation</i> , report to Cradle Coast NRM May 2016, Cradle Coast NRM Project: SEEP1314CE04.		√
<b>Bonham, K</b> 2016 <i>Monitoring the effectiveness of the keeled snail (Tasmaphena lamproides) management plan: 2016 Togari Block sampling</i> , unpublished report to the Forest Practices Authority, Hobart, Tasmania.	<a href="#"><u>Here</u></a>	
<b>Bonham, K</b> 2016, <i>Monitoring the effectiveness of the Skemps snail management plan</i> , report to the Forest Practices Authority, Hobart, Tasmania.	<a href="#"><u>Here</u></a>	
Davies, PE, Cook, LSJ, Mallick, SA. & <b>Munks, SA</b> 2016, 'Relating upstream forest management to stream ecosystem condition in middle catchment reaches in Tasmania', <i>Forest Ecology and Management</i> 362, 142–55.	<a href="#"><u>Here</u></a>	
<b>Lunn, T, Macgregor, JW, Munks, SA</b> and Carver, S 2016, ' <i>Dermatophilus congolensis</i> infection in platypus ( <i>Ornithorhynchus anatinus</i> ), Tasmania, Australia', <i>Journal of Wildlife Diseases</i> , 52(4), 2016, pp. 965–967.		√
<b>Macgregor, JW</b> , Holyoake, CS, <b>Munks, SA</b> , Connolly, JH, Robertson, ID, Fleming, PA and Warren, KS 2016, 'Investigation into individual health and exposure to infectious agents of platypuses ( <i>Ornithorhynchus anatinus</i> ) in two river catchments in north-west Tasmania.', <i>Journal of Wildlife Health</i> , 53(2), 2017, pp. 258–271		√
<b>McIntosh, P</b> 2016, <i>Scientific report for the project 'Training and research assistance for soil survey in PNG's first national forest inventory' conducted in Madang</i> , report for UN-REDD+, FAO, and the PNG Forest Authority, Forest Practices Authority, Hobart, Tasmania.		√
<b>McIntosh, PD</b> and Moroni, M 2016, 'Carbon sequestration in Tasmania's forests: perceptions, misrepresentations and ecological reality'. <i>Australian Forest Growers' Conference, Launceston, 24-26 October, presented paper.</i>	<a href="#"><u>Here</u></a>	
<b>Munks, SA</b> 2016, <i>Threatened Fauna Adviser – a decision support system for forest planners</i> , poster paper at the Australasian Wildlife Management Society, Auckland New Zealand, Nov 2016.		√
<b>Munks, SA and Koch, A</b> 2016, <i>Managing the hollow resource into the future in Tasmania's production forests – Importance of monitoring and adaptive management</i> , spoken paper at the Australasian Wildlife Management Society, Auckland New Zealand, Nov 2016.		√
<b>Munks, S</b> and Crane, A 2016, <i>Procedures for the management of threatened species under the forest practices system: report on implementation during 2015–16</i> , report to the Board of the FPA and the Secretary of DPIPWE, Hobart, Tasmania.	<a href="#"><u>Here</u></a>	
Nimiago, P, and <b>McIntosh, P</b> 2016, <i>Progress report of measuring forest soil carbon for Papua New Guinea's National Forest Inventory</i> , Powerpoint presentation for PNG Forest Authority, March 2016, Forest Practices Authority, Hobart, Tasmania.		√
Nimiago, P, Sam, N, Moripi, L, <b>McIntosh, P</b> 2016, <i>Madang province: Gleysol in tuffaceous silty terrace alluvium, Papua New Guinea Forest Soil Fact Sheet 1</i> , Papua New Guinea Forest Authority, Forest Research Institute, Lae. Nimiago, P,	<a href="#"><u>Here</u></a>	
Gamung, M, <b>McIntosh, P</b> 2016, <i>Madang province: Cambisol (disturbed) in tuffaceous silty colluvium, Papua New Guinea Forest Soil Fact Sheet 2</i> , Papua New Guinea Forest Authority, Forest Research Institute, Lae.	<a href="#"><u>Here</u></a>	
Nimiago, P, Sam, N, Gamung, M, <b>McIntosh, P</b> 2016, <i>Madang province: Cambisol in tuffaceous silty colluvium on steepplands, Papua New Guinea Forest Soil Fact Sheet 3</i> , Papua New Guinea Forest Authority, Forest Research Institute, Lae.	<a href="#"><u>Here</u></a>	
Pracejus, A 2016, 'Improving study designs for assessing forestry impacts on the giant freshwater crayfish, <i>Astacopsis gouldi</i> ', Honours thesis, University of Tasmania.		√
<b>Turner, P</b> and <b>Munks, S</b> 2016, <i>Monitoring the effectiveness of the biodiversity provisions of the Tasmanian Forest Practices Code 2015-16 summary report</i> , report for the Board of the FPA and the Secretary of the DPIPWE, FPA Scientific Report 20, Hobart, Tasmania.	<a href="#"><u>Here</u></a>	

Webb, MH, Holdsworth, M, Stojanovic, D, Terauds, A, <b>Bell, P</b> & Heinsohn, R 2016, 'Immediate action required to prevent another Australian avian extinction: the King Island Scrubtit', <i>Emu</i> 116, pp 223–9.		√
Walker B 2016, 'Late Pleistocene climatic oscillations inferred by soil stratigraphic analysis of southern Tasmanian Quaternary sediments', Thesis, B. Agr. Sci. (Honours), University of Tasmania.	<u>Here</u>	
<b>Wiersma, J</b> 2016 <i>NE088 Wedge-tailed eagle search report</i> , report to Pentarch Forestry Services.		√
Yee, M and <b>Koch, A</b> 2016, <i>Spatial habitat models of Tasmanian threatened fauna, workshop results and metadata associated with proposed habitat models, developed to inform strategic conservation planning under the Tasmanian forest practices system</i> , report to the Forest Practices Authority and Forestry Tasmania, Hobart, Tasmania.	<u>Here</u>	
<b>2015</b>		
<b>Cawthen, L</b> 2015 <i>Tasmanian bats and their habitat – a guide</i> , booklet published by the CRC for Forestry and FPA, Hobart, Tasmania.	<u>Here</u>	
<b>Chuter, A, Koch A</b> and Duncan, F 2015, 'Monitoring the effectiveness of <i>Acacia pataczekii</i> (Wally's wattle) management following partial harvesting in north-eastern Tasmania', <i>Tasmanian Naturalist</i> vol 12 no 2, p. 2.	<u>Here</u>	
Jackson, J and <b>Mann, D</b> 2015, Second survey of blackwood swamps for dwarf galaxias habitat, Murchison District, 26–29 May 2015, report to the Forest Practices Authority, Department of Primary Industries, Parks, Water and Environment and the Inland Fisheries Service, Hobart, Tasmania.	<u>Here</u>	
<b>Koch, A</b> and <b>Munks, S</b> 2015, <i>Monitoring the effectiveness of the biodiversity provisions of the Tasmanian Forest Practices Code, 2014–15 summary report</i> , report for the Board of the FPA and the Secretary of the DPIPWE, FPA Scientific Report 19, Hobart, Tasmania.	<u>Here</u>	
Lunn, T 2015, 'Causal processes of a complex system: modelling stream use and disturbance influence on the platypus ( <i>Ornithorhynchus anatinus</i> )', Honours thesis, University of Tasmania.		√
Lunn, T 2015 'Impacts of timber harvest on stream biota – a review', literature review for Bachelor of Science Degree with Honours, University of Tasmania.		√
Macgregor, J 2015, 'Conservation of the platypus ( <i>Ornithorhynchus anatinus</i> ): Development of a framework to assess the health of wild platypus populations', PhD thesis, Murdoch University.		√
Macgregor JW, Holyoake C, <b>Munks S</b> , Connolly JH, Robertson I, Fleming PA and Warren K 2015, 'Novel use of in-stream microchip readers to monitor wild platypuses', <i>Pacific Conservation Biology</i> vol 20 no 4, pp. 376–384.		√
Macgregor, JW, Holyoake, C, <b>Munks, S</b> , Fleming, PA, Robertson, I, Connolly, J, Lonsdale, RA and Warren, K 2015, 'A multidisciplinary approach to platypus conservation research: a model for other wildlife populations', paper presented to <i>Australian Mammals Society Conference</i> , Hobart, Tasmania.		√
<b>McIntosh, P</b> 2015, 'Comments on the paper "Stratigraphy and geochronology of Quaternary marine terraces of Tasmania, Southeastern Australia: implications on neotectonism" by Jaeryul Shin, <i>Geosciences Journal</i> 17, pp 429–443, <i>Geosciences Journal</i> 17, pp 575–578.		√
<b>McIntosh, P</b> and Doyle, R 2015, <i>Field guide for sampling and describing forest soils in Papua New Guinea for the National Forest Inventory</i> , Forest Practices Authority contract report 33 p.	<u>Here</u>	
<b>McIntosh, P</b> , Doyle, R and Nimiago, P 2015, <i>Report on UN-REDD/Crawford Fund Soils Training Course, Lae, Papua New Guinea, 10–14 November 2014</i> , Forest Practices Authority contract report, 21 p.	<u>Here</u>	
<b>McIntosh, P</b> , Moss, P, Watson, E and Onfray, R 2014, 'Aboriginal vegetation management in Northwest Tasmania: When did it begin?' page 120 in: S Ulm, G Mate, J Jerbic (eds), <i>Culture, Climate, Change: Archaeology in the Tropics: Conference handbook</i> , Cairns, Queensland, paper presented to Australian Archaeological Association and Australian Society for Historical Archaeology.		√

Malotki, E and <b>McIntosh, PD</b> 2015, Paleoamericans, Pleistocene terraces and Petroglyphs: the case for Ice Age mammoth depictions at Upper Sand Island, Utah, USA, <i>Academia</i> , 26 April 2015, 15 p.	<b>Here</b>	
<b>Mann, D.</b> 'Whose den is that? Identification and management of threatened mammals in a forestry landscape: a case study', poster presentation to <i>Australian Mammals Society Conference</i> , Hobart, June 6-10 2015, Hobart, Tasmania.		√
<b>Munks, S</b> 2015, 'Contributing to the conservation of biodiversity on private land – the Tasmanian forest practices system', paper presented to <i>ESA knowledge exchange Hobart</i> , Hobart, Tasmania.		√
<b>Munks, S</b> and Crane, A 2015, <i>Procedures for the management of threatened species under the forest practices system: report on implementation during 2014–15</i> , report to the Board of the FPA and the Secretary of DPIPWE, Hobart, Tasmania.	<b>Here</b>	
<b>Munks, SA, Koch AJ,</b> Cawthen, L and Flynn, E 2015, 'Research informing practice: managing hollows for arboreal mammals in the production forest landscape', paper presented to <i>Australian Mammals Society Conference</i> , Hobart, Tasmania.		√
<b>Wilkinson, G</b> 2015, 'The application of a prescribed duty of care for non-wood values in forests set aside for resource use on public and private land in Tasmania', <i>Australian Forestry</i> vol 79, no 1 pp 70–73.		√
<b>2014</b>		
<b>Burrows, RM,</b> Magierowski, RH, Fellman, JB, Clapcott, JE, <b>Munks, SA,</b> Roberts, S, Davies, PE, Barmuta, LA 2014, 'Variation in stream organic matter processing among years and benthic habitats in response to forest clearfelling', <i>Forest Ecology and Management</i> 327, 136-147.		√
<b>Cawthen, L,</b> 2013, White-striped freetail bats in Tasmania: resident, vagrant or climate change migrant, <i>Australian Mammalogy</i> , 35 (2), 251–254.		√
<b>Chuter, A, Koch, A</b> and <b>Munks, S</b> 2014, 'Landscape-scale planning for biodiversity in Tasmanian production forests,' paper presented to <i>International Union of Forest Research Organizations (IUFRO)</i> , Salt Lake City, USA.		√
<b>Koch, AJ</b> 2014, 'Why take a landscape approach to farm forestry?', paper presented to Australian Bureau of Agricultural and Resource Economics and Sciences (ABARES) Regional Outlook conference, Launceston.		√
<b>Koch, A</b> 2014, 'Landscape scale planning for threatened species,' paper presented to <i>ESA knowledge exchange Hobart</i> , Hobart, Tasmania.		√
<b>Koch, A</b> and <b>Munks, S</b> 2014, <i>Monitoring the effectiveness of the biodiversity provisions of the Tasmanian Forest Practices Code 2013–14 summary report</i> , report for the Board of the Forest Practices Authority and the Secretary of the Department of Primary Industries, Parks, Water and Environment, FPA Scientific report 18, Hobart, Tasmania.	<b>Here</b>	
<b>McIntosh PD,</b> 2015, 'Comments on the paper "Stratigraphy and geochronology of Quaternary marine terraces of Tasmania, southeastern Australia: implications on neotectonism" by Jaeryul Shin', <i>Geosciences Journal</i> , 17, 429-443", <i>Geosciences Journal</i> 19, 575–578.	<b>Here</b>	
<b>McIntosh, P,</b> Moss, P, Watson, E, Onfray, R 2014. 'Aboriginal Vegetation management in Northwest Tasmania: When did it begin?' page 120 in: S Ulm, G Mate, J Jerbic (eds), <i>Culture, Climate, Change: Archaeology in the Tropics: Conference handbook</i> , Cairns, Queensland, Australian Archaeological Association and Australian Society for Historical Archaeology.	<b>Here</b>	
Macgregor, JW, Holyoake, CS, Fleming, PA, Robertson, I, <b>Munks, SA,</b> Connolly, J, Belov, K, Lonsdale, RA & Warren, K 2014, 'Platypus population health assessment in the Inglis and Seabrook catchments in north-western Tasmania', <i>Wildlife Rehabilitation Conference Proceedings, Hobart, May 2014</i> .		√
<b>Mann, D</b> and Jackson, J 2014, Summary of Dwarf Galaxid Surveys in NW Tasmania, 16-19 September 2014, Report to the Forest Practices Authority, Department of Primary Industries, Parks, Water and Environment and the Inland Fisheries Service, Forest Practices Authority, Hobart, Tasmania.	<b>Here</b>	

<b>Mann, D</b> 2014, Dwarf galaxias surveys in northwest Tasmania: A follow-up from September 2014, 6 November 2014, Report to the Forest Practices Authority, Department of Primary Industries, Parks, Water and Environment and the Inland Fisheries Service, Forest Practices Authority, Hobart, Tasmania.	<a href="#">Here</a>	
<b>Ohlsen, N, Koch, A and Cawthen, L</b> 2014, <i>The use of nest boxes in logged and unlogged areas by pygmy possums</i> , Forest Practices Authority Scientific Report 23, Forest Practices Authority, Hobart.	<a href="#">Here</a>	
<b>O'Sullivan, T</b> , 2014, 'Breeding behaviour and success of the Tasmanian wedge-tailed eagle ( <i>Aquila audax fleayi</i> )', Honours thesis, University of Tasmania.	<a href="#">Here</a>	
Slee, A, <b>McIntosh P</b> , Shulmeister, J, and Barrows, B 2014, <i>Geomorphologic evidence for periodic easterly rainfall on the Australian east coast during the last glaciation</i> , Australian Quaternary Association Inc. Biennial Meeting 29 June to 4 July 2014, Program and Abstracts.	<a href="#">Here</a>	√
Shulmeister, J, Woodward, C, Chang, J and <b>Slee, A</b> 2014, The LGM in eastern Australian – an overview, Australian Quaternary Association Inc. Biennial Meeting 29 June to 4 July 2014, Program and Abstracts.	<a href="#">Here</a>	
Stojanovic D, <b>Koch AJ</b> , Webb M, Cunningham R, Roshier D, Heinsohn R 2014, 'Validation of a landscape-scale planning tool for cavity-dependent wildlife', <i>Austral Ecology</i> 39: 579-586.		√
Watson, E, Moss, P, <b>McIntosh, P</b> , Onfray, R 2014, 'Holocene Environmental Change for the surrey Hills Region, Northern Tasmania', page 160 in: S Ulm, G Mate, J Jerbic (eds), <i>Culture, Climate, Change: Archaeology in the Tropics: Conference handbook</i> , Cairns, Queensland, Australian Archaeological Association and Australian Society for Historical Archaeology.	<a href="#">Here</a>	
<b>Wilkinson, GR</b> 2014, 'PNG takes on the "3R Challenge" of logging code implementation', <i>Forest News</i> vol 28 no 2; pp. 1–6 in <i>Tigerpaper</i> Vol XLI, Regional Quarterly Bulletin on Wildlife and National Parks Management, Food and Agriculture Organisation of the United Nations, Bangkok.	<a href="#">Here</a>	
<b>Wilkinson, GR, Schofield, M</b> and Kanowski, P 2014, Regulating forestry — Experience with compliance and enforcement over the 25 years of Tasmania's forest practices system, <i>Forest Policy and Economics</i> , volume 40, pp 1–11.	<a href="#">Here</a>	
<b>2013</b>		
Bonham, K 2013, <i>Monitoring the effectiveness of the keeled snail (Tasmaphena lamproides) management plan</i> , initial report to the Forest Practices Authority.	<a href="#">Here</a>	
<b>Burrows, RM</b> 2013, 'Structure and function of small headwater streams flowing through wet eucalypt forest in southern Tasmania and the impact of clearfell forestry', PhD thesis, University of Tasmania.	<a href="#">Here</a>	
<b>Cawthen, L</b> 2013, 'The effectiveness of the multi-spatial scale approach to forest management: A Tasmanian bat case study', PhD thesis, University of Tasmania and CRC for Forestry.	<a href="#">Here</a>	
<b>Cawthen, L</b> , Nicol, S, Munks, S, & Law, B 2013, 'The effectiveness of the multi-spatial scale approach to forest management for bats: a Tasmanian case study', paper presented to <i>International bat research conference</i> , Costa Rica.		√
<b>Cawthen, L</b> 2013, 'Tasmanian long-eared bat, <i>Nyctophilus sherrini</i> ', in S Van Dyck, I Gynther & A Baker (eds), <i>Field companion to the mammals of Australia</i> , Reed New Holland, Sydney, p. 148.		√
<b>Forest Practices Authority</b> 2013, <i>Assessing duty of care – private land</i> , Preliminary report to the Board of the Forest Practices Authority, FPA Scientific Report 19, Hobart, Tasmania.	<a href="#">Here</a>	
<b>Forest Practices Authority</b> 2013, <i>Developing a biodiversity effectiveness monitoring program for the forest practices system: identifying priority projects</i> , report to the Federal Government and the Forest Practices Authority, Forest Practices Authority Scientific Report 17.	<a href="#">Here</a>	

<b>Forest Practices Authority</b> 2013, <i>Biodiversity landscape planning guideline A proposed approach for managing biodiversity values, including RFA priority species, at multiple spatial scales in areas covered by the Tasmanian forest practices system</i> , report to the Commonwealth Department of Sustainability, Environment, Water, Population and Communities and the Tasmanian Forest Practices Authority October 2013.	<a href="#">Here</a>	
<b>Koch, AJ, and Chuter, A</b> 2013, <i>Trialling implementation of the Biodiversity landscape planning guideline: results for three forest blocks</i> , report to the Federal Government and the Forest Practices Authority, March 2013.	<a href="#">Here</a>	
<b>Koch, AJ, Wiersma, J &amp; Munks, S</b> 2013, <i>Wedge-tailed Eagle Nest Monitoring Project 2007–12: Nest site use, timing of breeding, and a review of the nesting habitat model</i> , report to Roaring 40s, Threatened Species and Marine Section (DPIPWE), Forest Practices Authority Scientific Report 16, Hobart	<a href="#">Here</a>	
<b>McIntosh, PD</b> 2013, 'Did megafauna extinction or climate change cause increase in erosion post-40 ka BP in Tasmania? The evidence from studies in the forest estate', <i>VII Southern Connection Congress 2013, Dunedin, New Zealand, 21–25 January 2013, Programme and Abstracts</i> , p. 79.	<a href="#">Here</a>	
<b>McIntosh, PD</b> 2013, <i>Review of soil and water provisions in the Papua New Guinea Logging Code of Practice and related codes in the tropics</i> , report for Project GCP/PNG/003/AUL for the PNG Forest Authority, the Food and Agriculture Organisation of the United Nations and the Australian Government Department of Agriculture, Fisheries and Forestry, June 2013, 77 p.	<a href="#">Here</a>	
<b>McIntosh PD</b> , Price, DM, Grove, S and Slee, AJ 2013, 'Reply to Murray-Wallace et al. (2013): Comments on a paper by Slee et al. (2012). A reassessment of Last Interglacial deposits at Mary Ann Bay, Tasmania', <i>Quaternary Australasia</i> 30, pp 4–8.	<a href="#">Here</a>	
Moss, P, <b>McIntosh, P</b> , Woodward, C and Schulmeister, J 2013, <i>Late Quaternary Environmental Change in the Sub-Alpine Grasslands of the Surrey Hills Region of Northern Tasmania</i> , paper presented to the Asia Oceania Geosciences Society Conference, 24–28 June 2013, Brisbane.	<a href="#">Here</a>	
<b>Munks, SA</b> 2013, <i>A review of the current approach to biodiversity conservation in PNG's wood production forests and recommendations relevant to the PMC procedures and Logging Code of Practice</i> , a report under Project GCP/PNG/003/AUL for the PNG Forest Authority, the Food and Agriculture Organisation of the United Nations and the Australian Government Department of Agriculture, Fisheries and Forestry, June 2013.		√
<b>Munks, SA</b> 2013, <i>A review of the current approach to biodiversity conservation in PNG's wood production forests and recommendations relevant to the PMC procedures and Logging Code of Practice</i> , a report under Project GCP/PNG/003/AUL for the PNG Forest Authority, the Food and Agriculture Organisation of the United Nations and the Australian Government Department of Agriculture, Fisheries and Forestry, June 2013.		√
<b>Munks, SA &amp; Watling, D</b> 2013, <i>A review of information on the impact of forestry operations on the biodiversity of PNG's forests</i> , a report under Project GCP/PNG/003/AUL for the PNG Forest Authority, the Food and Agriculture Organisation of the United Nations and the Australian Government Department of Agriculture, Fisheries and Forestry.		√
<b>Munks, S, McIntosh, P, Schofield, M</b> , Loyn,R., <b>Wilkinson, G</b> , and Kini, G 2014, <i>Report on the 'Train the Trainer' course for the revised PNG Logging Code of Practice, Lae, 12–17 May 2014 Project: GCP/PNG/003/AUL</i> , report to the PNG Forest Authority and Food and Agriculture Organisation of the United Nations.		√
Wapstra, M & <b>Chuter, A</b> 2013, 'An update on the distribution, reservation and Conservation status of fairy lanterns <i>Thismia rodwayi</i> f.muell. (Thismiaceae) in Tasmania', <i>The Tasmanian Naturalist</i> 135, pp 79–89.	<a href="#">Here</a>	
<b>Wilkinson GR and Duff G</b> 2013, <i>Submission of the Forest Practices Authority to the Tasmanian Forests Agreement Bill 2012 Committee</i> , Forest Practices Authority, Hobart.	<a href="#">Here</a>	
<b>2012</b>		



Hull, CL, and <b>Cawthen, L</b> 2012, 'Bat fatalities at two wind farms in Tasmania, Australia: bat characteristics, and spatial and temporal patterns', <i>New Zealand Journal of Zoology</i> , 1–11.		√
<b>Cawthen, L</b> , Utesch, M, Koch, N, and <b>Munks, S</b> 2012, 'Insectivorous bat activity in timber production forests in the headwaters of the South Esk River, North East Tasmania', <i>Australian Zoologist</i> 36(1).		√
<b>Koch, AJ</b> , 2012, 'Using Maxent to map potential nesting habitat of the Tasmanian wedge-tailed eagle', paper presented to the Ecological Society of Australia Annual Conference, December 2012, Melbourne.		√
<b>Koch, AJ, Chuter, A &amp; Munks, S</b> 2012, <i>Defining and managing oldgrowth forests</i> , Independent Verification Group Forest Conservation Report 4.	<a href="#">Here</a>	
<b>Koch, AJ, Chuter, A &amp; Munks, S</b> 2012, <i>A review of forestry impacts on biodiversity and the effectiveness of 'off-reserve' management actions in areas covered by the Tasmanian forest practices system</i> , Independent Verification Group Forest Conservation Report 10.	<a href="#">Here</a>	
<b>McIntosh, P</b> 2012, <i>Soil characterisation at the Warra Flux Tower Supersite, version 2 with supplementary data</i> , Forest Practices Authority report for Forestry Tasmania.	<a href="#">Here</a>	
<b>McIntosh, P</b> 2012, <i>Dated geoconservation sites in the forest estate in Tasmania 2004–2012</i> , Forest Practices Authority Technical Report 2, Hobart.	<a href="#">Here</a>	
<b>McIntosh, PD &amp; Doyle, R</b> , 2012, <i>Mt Wellington–Huon Valley Field Trip, Wednesday 5 December 2012</i> ; Joint ASSSI-NZSSS Conference, Hobart, 2–7 December 2012, Australian Society of Soil Science Publication, ASSS, Warragul, Victoria, 33 p.	<a href="#">Here</a>	
<b>McIntosh, PD</b> , Eberhard R, <b>Slee A</b> , Moss P, Price DM, Donaldson P, Doyle R, & Martins J 2012, 'Late Quaternary extraglacial cold-climate deposits in low and mid-altitude Tasmania and their climatic implications', <i>Geomorphology</i> 179, pp. 21–39.		√
Slee A, <b>McIntosh, PD</b> , Price DM, Donaldson P, & Grove, S 2012, 'A reassessment of Last Interglacial deposits at Mary Ann Bay, Tasmania', <i>Quaternary Australasia</i> 29, pp. 4–11.	<a href="#">Here</a>	
Stephens, H, Baker, SC, Potts, BM, <b>Munks, SA</b> , Stephens, D & O'Reilly-Wapstra, JM, 2012, Short-term responses of native rodents to aggregated retention in old-growth wet eucalyptus forests, <i>Forest Ecology and Management</i> , 267 pp. 18–27.		√
<b>Schofield, M</b> 2012, <i>Monitoring the implementation of swift parrot Lathamus discolor management prescriptions in areas covered by the Tasmanian forest practices system</i> , unpublished report to the Forest Practices Authority.		√
<b>Todd, M</b> 2012, 'ecology and habitat of a threatened nocturnal bird, the Tasmanian masked owl', PhD thesis, School of Zoology, University of Tasmania.	<a href="#">Here</a>	
<b>Wiersma, J &amp; Koch, AJ</b> 2012, Using surveys of nest characteristics to assess the breeding activity of the Tasmanian wedge-tailed eagle, <i>Corella</i> 36, 38–44.		√
<b>2011</b>		
<b>Cawthen, L, &amp; Munks, S</b> 2011, The use of hollow-bearing trees retained in multi-aged regenerating production forest by the Tasmanian brushtail possum ( <i>Trichosurus vulpecula fuliginosus</i> ), <i>Wildlife Research</i> 38 (8) pp.687–695.		√
<b>Cawthen, L &amp; Munks, SA</b> 2011, 'The design and testing of linen thread weak-links in brushtail possum radio-collars,' <i>Australian Mammalogy</i> , 2011, 33: pp 33–35.		√
<b>Chuter, A &amp; Koch, AJ</b> 2011, <i>Developing a framework for the conservation of habitat of RFA priority species: Implementation of the Biodiversity landscape planning guideline: a summary of current progress and future work</i> , report to the Federal Government and the Forest Practices Authority, Hobart, Forest Practices Authority scientific report 15.	<a href="#">Here</a>	

<b>Chuter, A &amp; Munks, SA</b> 2011a, <i>Developing a framework for the conservation of habitat of RFA priority species – background report 2: A review of the approach to the conservation of RFA priority species in areas covered by the Tasmanian forest practices system</i> , report to the Federal Government and the Forest Practices Authority, Hobart, Forest Practices Authority scientific report 11.	<a href="#">Here</a>	
<b>Chuter, A &amp; Munks, SA</b> 2011b, <i>Developing a framework for the conservation of habitat of RFA priority species – background report 3. A report on the on-ground implementation of current forest management prescriptions for the conservation of RFA priority species</i> , report to the Commonwealth Department of Sustainability, Environment, Water, Population and Communities and the Tasmanian Forest Practices Authority, Hobart, Forest Practices Authority scientific report 12.	<a href="#">Here</a>	
<b>Flynn, E</b> 2011, 'Exploring the influence of disturbance history and forest type on an arboreal marsupial, the common brushtail possum ( <i>Trichosurus vulpecula</i> ), using a multi-disciplinary approach', PhD thesis, School of Zoology, University of Tasmania.	<a href="#">Here</a>	
<b>Flynn, EM, Jones, SM, Jones, ME, Jordan, GJ &amp; Munks, SA</b> 2011, 'Characteristics of mammal communities in Tasmanian forests: exploring the influence of forest type and disturbance history,' <i>Wildlife Research</i> , 2011, 38: pp 13–29.	<a href="#">Here</a>	
<b>Flynn, EM, Munks, SA, &amp; Jones, SM</b> 2011, 'Influences of forest type and disturbance on reproduction of the brushtail possum ( <i>Trichosurus vulpecula</i> )', <i>Journal of Mammalogy</i> 92: pp 1050–1059.		√
<b>Koch, AJ &amp; Baker, S</b> 2011, 'Using aerial photographs to remotely assess tree hollow availability', <i>Biodiversity and Conservation</i> 20: pp 1089–1101.		√
<b>Koch, AJ, Chuter, A &amp; Munks, SA</b> 2011a, <i>Developing a framework for the conservation of habitat of RFA priority species – background report 1: A review of approaches to the conservation of forest biodiversity across the landscape in Australia and overseas</i> , report to the Federal Government and the Forest Practices Authority, Hobart, Forest Practices Authority scientific report 10.	<a href="#">Here</a>	
<b>Koch, AJ, Chuter, A &amp; Munks, SA</b> 2011b, <i>Developing a framework for the conservation of habitat of RFA priority species: Monitoring the effectiveness of forest management prescriptions for the conservation RFA priority species: current progress and future work</i> , report to the Federal Government and the Forest Practices Authority, Hobart, Forest Practices Authority scientific report 14.	<a href="#">Here</a>	
<b>McIntosh, PD; Eberhard, R; Moss, P; Slee, A; Donaldson, P; Doyle, R; Price, D and Martins, J</b> 2011, 'Cold climate deposits in low and mid-altitude Tasmania', Institute of Australian Geographers Conference, 2011, University of Wollongong, 3–6 <sup>th</sup> July 2011 (presented paper).		√
<b>McIntosh, PD</b> and Barrows, TT 2011, 'Morphology and age of bouldery landslide deposits in forested dolerite terrain, Nicholas Range, Tasmania, Australia', <i>Zeitschrift für Geomorphologie</i> 55: pp 383–393.	<a href="#">Abstract</a>	
<b>Munks, SA &amp; Koch, AJ</b> 2011, <i>Developing a framework for the conservation of habitat of RFA priorities species – background report 4: A review of approaches used interstate and overseas to monitor the effectiveness of forest management prescriptions for the conservation of biodiversity</i> , report to the Commonwealth Department of Sustainability, Environment, Water, Population and Communities and the Tasmanian Forest Practices Authority, Hobart, Forest Practices Authority scientific report 13.	<a href="#">Here</a>	
<b>Schofield, M</b> 2011, '25 years of monitoring and assessment – the Tasmanian experience', poster presented at the Australian and New Zealand Institutes of Forestry (ANZIF), Auckland, May 2011.		√
<b>Slee, A</b> 2011, 'Morphology and genesis of dolerite mass movement deposits on the Mt Nicholas Range, north east Tasmania in relation to landslide risk,' <i>Abstracts of presented papers of the 14<sup>th</sup> Australian &amp; New Zealand Geomorphology Group Conference, Oamaru, New Zealand, 31 January – 4 February 2011</i> , p.70.		√
<b>Slee, AJ &amp; McIntosh, PD</b> and Tempest, G 2011, 'Boulder caves of Mt Nicholas', <i>Caves Australia</i> 186: pp 26–27.		√

Wapstra, M, <b>Roberts, N</b> , Larcombe, M & <b>Leaman, T</b> 2011, 'Distribution, habitat characteristics and conservation management of <i>Prasophyllum stellatum</i> (Ben Lomond leek-orchid), a forest-dependent threatened species', <i>Tasforests</i> , 19, pp 28–41.	<a href="#">Here</a>	
<b>Wiersma, J</b> & Hull, C 2011, 'Do you have an eagle's nest on your land?', <i>Tasmania 40°South</i> , September 2011, pp 61–62.		√
<b>Wiersma, J</b> & <b>Koch, AJ</b> 2011, <i>Wedge-tailed eagle nest monitoring project – interim progress report for year 2009–10</i> , report to Roaring 40s and the Forest Practices Authority, Hobart, Tasmania.	<a href="#">Here</a>	
<b>Wilkinson, GR</b> 2011, 'The Maxwell Ralph Jacobs Memorial Oration 2011: The tragedy of the forests', <i>Australian Forestry</i> 74: pp 157–160.		√
<b>Wilkinson, GR</b> 2011, <i>Draft forest management plan for the indigenous forests of Niue</i> , Government of Niue and the Secretariat of the Pacific Community.		√
<b>2010</b>		
<b>Chuter, A</b> 2010, 'Distribution and ecology of three threatened Tasmanian endemic species of <i>Boronia</i> ', <i>The Tasmanian Naturalist</i> 132: pp 63–77.	<a href="#">Here</a>	
Field, J & <b>McIntosh, PD</b> 2010, 'Reply to "The Elusive Meenamatta Petroglyphs, Tasmania: Comment on Jo Field's and Peter D. McIntosh's 'A Re-Evaluation of 'Petroglyphs' on Blue Tier, Northeast Tasmania" by RG Bednarik, G Andrews, S Cameron, PC Sims, C Williams and E Bednarik', <i>Australian Archaeology</i> 70:pp 86–88.	<a href="#">Here</a>	
<b>Forest Practices Authority</b> 2010, <i>Interim species habitat planning guideline for the conservation management of Lathamus discolor (Swift Parrot) in areas regulated under the Tasmanian Forest Practices System</i> , internal report to the Forest Practices Authority, Hobart, Tasmania.	<a href="#">Here</a>	
Macgregor, JW, Holyoake, CS, <b>Munks, SA</b> , Robertson, ID & Warren, KS 2010, 'Preliminary investigation into the prevalence of mucormycosis in the platypus ( <i>Ornithorhynchus anatinus</i> ) in three catchments in north-west Tasmania', <i>Australian Veterinary Journal</i> volume 88, no 5, pp.190–196.	<a href="#">Here</a>	
Macgregor, JW, Holyoake, CS, <b>Munks, SA</b> , Robertson, ID & Warren, KS 2010, 'Preliminary investigation into the prevalence of mucormycosis in the platypus ( <i>Ornithorhynchus anatinus</i> ) in three catchments in north-west Tasmania', <i>Australian Veterinary Journal</i> 88: 190–196.		√
<b>McIntosh PD</b> 2010, 'Fire, erosion and the end of the megafauna', <i>Australasian Science</i> September/October 2010: pp 27–29.	<a href="#">Here</a>	
<b>Munks, SA</b> , Kavanagh, RP & Loyn, RH 2010, <i>Monitoring the effectiveness of forest practices to conserve biodiversity in western North America: lessons for Australian forest management</i> , report to the Max Jacobs Fund, Forest Practices Authority, Tasmania, the Department of Industry and Investment, New South Wales and the Arthur Rylah Institute, Victoria.	<a href="#">Here</a>	
<b>Piotrowski, S</b> 2010, 'Contested heritage, contested Aboriginality and the Blue Tier, north-eastern Tasmania', BA (Hons) Thesis, University of Queensland.		√
<b>Richards, K</b> 2010, 'An ecological, morphological and molecular investigation of beddomeia species (Gastopoda:Hydrobiidae) in Tasmania', PhD thesis, UTas, Hobart.	<a href="#">Here</a>	
<b>Slee, A</b> 2010, Mt Nicholas – Permian limestone karst of north-east Tasmania, <i>Australian Cave and Karst Management Association Journal</i> 78: pp 22–23.		√
<b>Spencer CP, &amp; Richards, K</b> 2010, 'The green-lined ground beetle, <i>Catadromus lacordairei</i> , in Tasmania', <i>The Tasmanian Naturalist</i> , 132: pp 18–22.		√
Wapstra M, <b>Roberts N</b> , Wapstra H, Wapstra A 2010. <i>Flowering times of Tasmanian orchids: A practical guide for field botanists</i> , 2 <sup>nd</sup> edition, self-published by the authors, Hobart.	<a href="#">Here</a>	
<b>Wiersma, J</b> 2010, <i>Eagle Nest Monitoring Project – Year 2 2008–09, Nest site use and timing of breeding events</i> , Forest Practices Authority scientific report 9, report to Roaring 40s and the Forest Practices Authority, Hobart, Tasmania.	<a href="#">Here</a>	
<b>Wiersma, J</b> 2010, 'White-bellied sea eagle' in R Tingay and Katzner T (eds), <i>The eagle watchers</i> , Cornell University press, USA.		√

<b>Wilkinson, GR</b> 2010, <i>Final report to the Coordinator of Forests and Trees Group of the SPC Land Resource Division and the Head of Forestry, Tonga – Preparation of a national code of practice for the sustainable management of the forests and tree resources in Tonga</i> (36 pp.) plus <i>Draft national code of practice</i> (18 pp.).		√
<b>2009</b>		
Bethge, P, <b>Munks, SA</b> , Otley, H, & Nicol, S 2009, 'Activity patterns and sharing of time and space of platypuses, <i>Ornithorhynchus anatinus</i> , in a subalpine Tasmanian lake', <i>Journal of Mammalogy</i> , 90(6): pp 1350–1356.	<a href="#"><u>Here</u></a>	
<b>Cawthen, L, Munks, SA</b> , Richardson, A & Nicol, SC 2009, 'The use of temperature loggers to monitor tree hollow use by mammals', <i>Ecological Management and Restoration</i> 10 (2): pp155–157.	<a href="#"><u>Here</u></a>	
Davies, P & <b>Munks S</b> , 2009, <i>Wedge and Tyenna block hydrobiid snail study: pre- vs. Post-logging survey, progress report</i> , Forest Practices Authority, Hobart.	<a href="#"><u>Here</u></a>	
Eberhard, R & <b>Slee, A</b> 2009, 'Do pine plantations have an impact on the density of brushtail possums in karst caves?', <i>Australian Cave and Karst Management Association Journal</i> 74: pp 40–41.		√
<b>Field J</b> , 2009, 'Local government perception of the Tasmanian forest practices system', <i>Tasforest</i> 18: pp 101–115.	<a href="#"><u>Here</u></a>	
Field J & <b>McIntosh PD</b> 2009, 'A re-evaluation of 'petroglyphs' on Blue Tier, northeast Tasmania', <i>Australian Archaeology</i> 69: pp 11–20.	<a href="#"><u>Here</u></a>	
<b>Gaughwin, D</b> 2009, 'Trade, capital and the development of the extractive industries of northeast Tasmania', Papers and Proceedings of the Launceston Historical Society, Launceston, Tasmania.		√
<b>Koch, AJ, Munks, SA, &amp; Spencer, C</b> 2009, 'Bird use of native trees retained in young eucalypt plantations: species richness and use of hollows', <i>Wildlife Research</i> 36: pp 581–591.		√
<b>Koch, AJ</b> 2009, <i>Tree hollows in Tasmania: a guide</i> , the CRC for Forestry and the Forest Practices Authority, Hobart Tasmania.	<a href="#"><u>Here</u></a>	
<b>Koch AJ</b> , Wapstra M, & <b>Munks, SA</b> 2009, 'Re-examining the use of retained trees for nesting birds in logged dry eucalypt forest in north-eastern Tasmania: 11 years on', <i>Tasmanian Bird Report</i> 33: pp 4–9.	<a href="#"><u>Here</u></a>	
<b>McIntosh, PD</b> 2009, <i>The forest practices system in British Columbia, report on a short Study Tour</i> , Forest Practices Authority, Hobart, Tasmania.	<a href="#"><u>Here</u></a>	
<b>McIntosh, PD</b> , Price, DM, <b>Slee, AJ</b> , Eberhard, R, Barrows, T & Bottrill, R 2009, 'Periglacial and associated deposits of Tasmania: a review', <i>Abstracts of presented papers from CANQUA-CGRG Biennial Meeting, Simon Fraser University, Burnaby Campus, Vancouver, Canada, 3–8 May 2009</i> , p 128.	<a href="#"><u>Here</u></a>	
<b>McIntosh, PD</b> , Price, DM, Eberhard, R & <b>Slee, AJ</b> 2009, 'Late Quaternary erosion events in lowland and mid-altitude Tasmania in relation to climate change and first human arrival', <i>Quaternary Science Reviews</i> 28: pp 850–872.		√
<b>Munks, SA, Koch, AJ &amp; Wapstra, M</b> 2009, 'From guiding principles for the conservation of forest biodiversity to on-ground practice: Lessons from tree hollow management in Tasmania', <i>Forest Ecology and Management</i> 258: pp 516–524.		√
<b>Olsson Herrin, R</b> 2009, 'Distribution and individual characteristics of the platypus ( <i>Ornithorhynchus anatinus</i> ) in the Plenty River, Southeast Tasmania', Honours thesis, University of Tasmania.	<a href="#"><u>Here</u></a>	
<b>Petherick, L</b> 2009, 'Assessing the present land stability in the western Tasmanian forest estate in relation to recent and ancient human impacts', report to the Forest Practices Authority, 5 p.	<a href="#"><u>Here</u></a>	
<b>Slee, A</b> , Hammond, A & <b>McIntosh, PD</b> 2009, 'Management of sinkholes in plantations: implications for the Tasmanian <i>Forest Practices Code</i> ', abstract presented at the 7 <sup>th</sup> <i>International Conference on Geomorphology (ANZIAG), karst geomorphology</i> , Melbourne Convention and Exhibition Centre, Melbourne, Australia, 6–11 July 2009, p 63.	<a href="#"><u>Here</u></a>	

Smith, BJ, <b>Davies, PE &amp; Munks, SA</b> 2009, 'Changes in benthic macroinvertebrate communities in upper catchment streams across a gradient of catchment forest operation history', <i>Forest Ecology and Management</i> 257 (10): pp 2166–2174.	<a href="#">Here</a>	
Wapstra, M and Doran, N 2009, <i>Review of Threatened Fauna Adviser, Background Report 1: History of the Threatened Fauna Adviser, Overview of Review Process and Species List</i> , Forest Practices Authority, Hobart.	<a href="#">Here</a>	
<b>Wiersma, J, Koch, AJ, Livingston, D</b> , Brown, B, <b>Spencer, C</b> , Mooney, N & <b>Munks, S</b> 2009, <i>Eagle Nest Monitoring Project – Year 1 2007–08, Establishing monitoring sites and investigating the relationship between nesting success of the Tasmanian wedge-tailed eagle and environmental variables</i> , report to Roaring 40s and the Forest Practices Authority, Forest Practices Authority scientific report 8, Forest Practices Authority, Hobart.	<a href="#">Here</a>	
<b>Wiersma, Jason M &amp; Richardson Alastair</b> 2009, 'Foraging of white-bellied sea-eagles <i>Haliaeetus leucogaster</i> in relation to marine fish farms in Tasmania', <i>Corella</i> , 33(3): pp 71–79.	<a href="#">Here</a>	
<b>Wilkinson, G</b> 2009, 'Guest editorial: Transparent forestry – seeing is believing,' <i>Australian Forestry</i> Vol. 72 No 1 pp 1–2.	<a href="#">Here</a>	
<b>Wilkinson, GR &amp; Prescott, M</b> 2009, <i>Report on the proceedings of the regional workshop Asia-Pacific Forestry Skills and Capacity Building Programme (APFSCBP) – Strengthening implementation of codes of practice for forest harvesting through effective systems of monitoring and evaluation</i> , Beijing/Yanji, Peoples' Republic of China, June 2009, 25 pp.		√
<b>Wilkinson, GR</b> 2009, <i>Report on the proceedings of the regional workshop Asia-Pacific Forestry Skills and Capacity Building Programme (APFSCBP) – Strengthening implementation of codes of practice for forest harvesting through effective systems of monitoring and evaluation and draft M&amp;E Protocol for PNG</i> , Papua New Guinea, 1–4 June 2009, 32 pp.		√
<b>Wilkinson, GR</b> 2009, <i>Report on FAO Norway Project Cooperation Agreement 2008–09, forestry component activities to support implementation of codes of forest harvesting practices (Laos, Viet Nam, Cambodia and China)</i> , 25 pp.		√
<b>Wilkinson, GR</b> 2009, <i>Report on the code of harvesting practice for the 'Eua Forestry Plantations, 29pp, plus draft Code, 23 pp.</i>		√
<b>2008</b>		
Biodiversity Review Panel 2008, <i>Review of the biodiversity provisions of the Tasmanian Forest Practices Code</i> , unpublished report to the Forest Practices Authority, Hobart, Tasmania.	<a href="#">Here</a>	
<b>Cawthen, L, Munks, S &amp; Richardson, A</b> 2008, 'The use of retained trees, in logged areas, by the common brushtail possum', paper presented at the Australian Mammal Society Conference, Darwin, Northern Territory, Australia, September 2008.		√
<b>Chuter, AE</b> , Jordan, GJ, Dalton, PJ and Wapstra, M 2008, 'Spore germination and early gametophyte development of the soft tree fern <i>Dicksonia antarctica</i> ', <i>Tasforests</i> , 17: pp 1–8.		√
<b>Clapcott, J, Gooderham, J</b> , Barmuta, L, <b>Davies, P, Munks, S</b> and <b>McIntosh, P</b> 2008, <i>Monitoring the effectiveness of Forest Practices Code headwater stream provisions in wet dolerite terrain at Warra, south-east Tasmania</i> , Forest Practices Authority scientific report 7, Forest Practices Authority, Hobart.	<a href="#">Here</a>	
<b>Duncan, F</b> , Gilfedder, L & Davey, C 2008, 'Native grasslands in northwest Tasmania and the role of forest managers in their conservation and management', poster presented at joint International Grasslands Congress/International Rangelands Congress (IGC/IRC), Hohhot, China, June/July 2008.		√
Field, J and <b>McIntosh, PD</b> , 2008, 'Getting lost in the Myths: Blue Tier mining history at risk', <i>Abstracts, Australian Mining History Association 14th Annual Conference, Queenstown, Tasmania, 4–10 October 2008</i> , p 15.	<a href="#">Here</a>	

Flynn, EM, Jones, SM, Munks, SA & Jones, ME 2008, 'Assessing the effect of habitat type and disturbance on population size and structure in the common brushtail possum ( <i>Trichosurus vulpecula</i> ) and other mammal species in production forests in Tasmania', poster presented at Australian Mammal Society Conference, Darwin, Northern Territory, Australia, September 2008.		√
<b>Flynn, EM</b> , Jones, SM, <b>Munks, SA</b> & Jones, ME 2008, 'Assessing the effects of habitat type on milk composition and physiological parameters in the common brushtail possum ( <i>Trichosurus vulpecula</i> ) in Tasmania's production forests', paper presented at Australian Mammal Society Conference, Darwin, Northern Territory, Australia, September 2008.		√
<b>Flynn, EM</b> , Jones, SM, <b>Munks, SA</b> , & Jones, ME 2008, 'Assessing the effect of habitat type and disturbance on population size and structure in the common brushtail possum ( <i>Trichosurus vulpecula</i> ) and other mammal species in production forests in Tasmania', poster presented at CRC Forestry Annual Meeting, Launceston, Tasmania, November 2008.		√
<b>Forest Practices Authority</b> 2008, <i>FPA Planning Guideline 2008/1. An internal planning framework developed by the Forest Practices Authority for the purposes of delivering management prescriptions through the threatened fauna adviser to avoid or limit the clearance and conversion of significant habitat for threatened forest fauna</i> , Forest Practices Authority, Hobart.	<u>Here</u>	
<b>Hammond, AP</b> and Petersen, N 2008, 'Mass Movement in Queensland' in Environmental Protection Agency (eds), State of the Environment Queensland 2007, Queensland Government, Brisbane, pp 106–109.		√
Harris, JM, <b>Munks, SA</b> , Goldingay, RL, Wapstra, M, Hird, D 2008, 'Distribution, habitat and conservation status of the eastern pygmy possum, <i>Cercartetus nanus</i> in Tasmania' <i>Australian Mammalogy</i> 29: pp 213–232.		√
<b>Koch, AJ</b> , <b>Munks, SA</b> , and Woehler, EJ 2008, 'Hollow-using vertebrate fauna of Tasmania: distribution, hollow requirements and conservation status', <i>Australian Journal of Zoology</i> 56: pp 323–349.		√
<b>Koch, AJ</b> , Driscoll, DA; Kirkpatrick, JB 2008, 'Estimating the accuracy of tree ageing methods in mature <i>Eucalyptus obliqua</i> forest, Tasmania', <i>Australian Forestry</i> 71: pp 147–159.		√
<b>Koch, AJ</b> ; <b>Munks, SA</b> ; Driscoll, DA; Kirkpatrick, JB 2008, 'Does hollow occurrence vary with forest type? A case study in wet and dry <i>Eucalyptus obliqua</i> forest', <i>Forest Ecology and Management</i> 255: pp 3938–3951.		√
<b>Koch, AJ</b> ; <b>Munks, SA</b> ; Driscoll DA 2008, 'The use of hollow-bearing trees by vertebrate fauna in wet and dry <i>Eucalyptus obliqua</i> forest, Tasmania', <i>Wildlife Research</i> 35: pp 727–746.		√
<b>Koch, AJ &amp; Munks, SA</b> 2008, 'Managing hollow-bearing trees in Tasmania's production forests', poster presented at CRC Forestry Annual Meeting, Launceston, Tasmania, November 2008.		√
<b>Koch, AJ</b> 2008, Errors associated with two methods of assessing tree hollow occurrence and abundance in <i>Eucalyptus obliqua</i> forest, Tasmania' <i>Forest Ecology and Management</i> 255: pp 674–85.		√
<b>Koch, AJ</b> 2008, <i>Hollows project final report</i> , report to Cradle to Coast NRM and the Forest Practices Authority, Forest Practices Authority scientific report 6, Forest Practices Authority, Hobart.		√
<b>McIntosh, PD</b> , Field, J and Dwyer, D 2008, <i>Surface weathering of granite in Blue Tier Forest Reserve – brief preliminary report</i> , Forest Practices Authority Report.	<u>Here</u>	
<b>McIntosh, PD</b> and Ware, T 2008, 'Taking account of special values during the coupe planning process – an example from the southern forests of Tasmania', <i>Tasforests</i> 17: pp 37–44.	<u>Here</u>	
<b>McIntosh, P</b> , Price, D, Eberhard, R, <b>Slee, A</b> 2008, <i>Late quaternary erosion chronology in lowland and mid-altitude Tasmania</i> , Forest Practices Authority scientific report 5, Forest Practices Authority, Hobart.	<u>Here</u>	

Richardson, A, Hopgood-Douglas, S, <b>Munks, S</b> , Doran, N, Peters, D 2008, 'Predicting the distribution of a threatened freshwater burrowing crayfish: <i>Engaeus granulatus</i> in central northern Tasmania', <i>Freshwater Crayfish</i> 16: pp 43–46.		√
<b>Todd, MK</b> 2008, 'Ecology of the Tasmanian Masked Owl, <i>Tyto novaehollandiae castanops</i> ', paper presented at the Australian Birdfair 2008, Leeton, NSW.		√
Wang, Q; Cox, ME; <b>Hammond, AP</b> ; Preda, M 2008, 'Deep weathering profile and groundwater characteristics within a low-lying coastal pine plantation, southern Queensland – relationship to waterlogging and salinisation', <i>Australian Forestry</i> 71: pp 122–134.		√
Wapstra, M, <b>Munks, SA</b> 2008, <i>Review of research and monitoring activities related to the biodiversity provisions of the forest practices system, background document 4 for the Biodiversity Expert Review Panel</i> , Forest Practices Authority, Hobart.	<b>Here</b>	
Wapstra, M, <b>Roberts, N</b> , Wapstra, H, Wapstra, A 2008, <i>Flowering times of Tasmanian Orchids: A practical guide for field botanists</i> , self-published by the authors, Hobart.	<b>Here</b>	
<b>Wilkinson, GR</b> 2008, 'Population differentiation within <i>Eucalyptus obliqua</i> : implications for regeneration success and genetic conservation in production forests'. This article was published in <i>Australian Forestry Journal</i> , Vol. 71 No. 1 pp. 4–15, available online from the Institute of Foresters of Australia ( <a href="http://www.forestry.org.au">www.forestry.org.au</a> ).	<b>Here</b>	√
<b>Wilkinson, GR</b> 2008, <i>FAO briefing notes on sustaining the implementation of reduced impact logging in Vietnam, Lao PDR and Myanmar</i> , FAO Bangkok, 12 pp.		√
<b>2007</b>		
<b>Cawthen, L</b> 2007, 'Den use by the brushtail possum in logged and unlogged dry forest in south-eastern Tasmania', Honours thesis, University of Tasmania.	<b>Here</b>	
<b>Davies PE; Munks, SA; Cook, LSJ; Von Minden P; Wilson, D</b> 2007, <i>Mapping suitability of habitat for the giant freshwater crayfish, Astacopsis gouldi: background document to GIS mapping layer</i> , Forest Practices Authority scientific report 4, Forest Practices Authority, Hobart.	<b>Here</b>	
<b>Forest Practices Authority</b> 2007, <i>Tree Fern Management Plan for the Sustainable Harvesting, Transporting or Trading of Dicksonia antarctica in Tasmania</i> , Forest Practices Authority, Hobart.	<b>Here</b>	
<b>Field, J</b> 2007, 'Local government perception of the forest practices system. undergraduate research report, School of Geography and Environmental Studies, University of Tasmania, 51 p.	<b>Here</b>	
Harris, JM, <b>Munks, SA</b> , Goldingay, RL, Wapstra, M, Hird, D 2008, 'Distribution, habitat and conservation status of the eastern pygmy possum, <i>Cercatetus nanus</i> in Tasmania', <i>Australian Mammalogy</i> 29: pp 213–232.		√
Jones, N 2007, 'Biodiversity, pterophytes, tree ferns and quarantine: Putting the invertebrate associations of <i>Dicksonia antarctica</i> in perspective', Honours thesis, University of Tasmania, Hobart.		√
<b>Koch AJ</b> 2007, 'Tree hollows in Tasmanian <i>Eucalyptus obliqua</i> forest and their use by vertebrate fauna', PhD Thesis. Geography and Environmental Studies. University of Tasmania, Hobart.		√
<b>Koch, A</b> 2007, <i>Review of the value of paddock trees with comments on their management under the provisions of the Tasmanian forest practices system, background document 3.1 for the Biodiversity Expert Review Panel</i> , Forest Practices Authority, Hobart.	<b>Here</b>	
<b>Koch, AJ; Woehler, EJ</b> 2007, 'Results of a survey to gather information on the use of tree hollows by birds in Tasmania', <i>The Tasmanian Naturalist</i> 129: pp 37–64.	<b>Here</b>	

McCallum, H; Tompkins, DM; Jones, M; Lachish, S; Marvanek, S; Lazenby, B; Hocking, G; <b>Wiersma, J</b> ; Hawkins, CE 2007, 'Distribution and impacts of Tasmanian devil facial tumor disease', <i>EcoHealth</i> 4: pp 318–325.	<a href="#">Here</a>	
<b>McIntosh, PD</b> 2007 Stream erosion in Towerhill coupes TH135a and TH119c following heavy rain on 18–19 May 2007, Forest Practices Authority Technical Report 1, Hobart.	<a href="#">Here</a>	
<b>McIntosh, PD</b> ; Price, DM; Eberhard, R; Slee, A 2007, 'Late Quaternary erosion in lowland and mid-latitude Tasmania in relation to climate change and first human arrival', abstract, paper presented at XVII INQUA Congress, Cairns, 29 July–3 August 2007, <i>Quaternary International</i> 167/168: p 278.	<a href="#">Here</a>	
<b>McIntosh, PD</b> , Ringk, C, <b>Richards, K</b> 2007, 'Stream erosion in Saddleback plantation catchments following exceptional rainfall in January 2004', Forest Practices Authority and Rayonier Ltd Report, FPA, Hobart, 35 p.	<a href="#">Here</a>	
<b>Munks, SA, Spencer, C</b> , Tonelli, P, Wiersma J and O'Connor, K 2007, 'Platypuses at the Ponds', report to the Inland Fisheries Service and the Lessee of the Salmon Ponds, Hobart.		√
<b>Munks, SA</b> , Wapstra, M, Corkrey, R, Otley, H, Miller, G and <b>Walker, B</b> 2007, 'The occurrence of potential tree hollow resource in the dry eucalypt forests of south-eastern Tasmania, Australia', <i>Australian Zoologist</i> , 34: pp 22–36.		√
Smith, TJ 2007, 'The ecology of <i>Sarcochilus australis</i> , Tasmania's only epiphytic orchid', Honours thesis, University of Tasmania, Hobart.		√
Wapstra, M 2007, <i>Processes and planning tools to meet objectives and requirements of the biodiversity provisions of Tasmania's forest practices system, background document 2 for the Biodiversity Expert Review Panel</i> , Forest Practices Authority, Hobart.	<a href="#">Here</a>	
Wapstra, M, <b>Munks, SA</b> 2007, <i>A review of Forest Practices Code provisions relating to management of biodiversity at different spatial scales, implementation and relationships between biodiversity provisions and other forest management provisions, background document 3 for the Biodiversity Expert Review, Panel</i> , Forest Practices Authority, Hobart.	<a href="#">Here</a>	
<b>Wapstra, M; Munks, SA</b> ; Brown, B 2007, 'A design for a lightweight, collapsible and inexpensive sampling frame for ecological research and monitoring', <i>Ecological Management and Restoration</i> 8(1): pp 71–72.	<a href="#">Here</a>	
<b>Wilkinson, GR</b> 2007, 'Outlaws in the forest? An analysis of the nature and causes of illegal forest practices', <i>Proceedings of the 2007 Institute of Foresters of Australia and New Zealand Institute of Forestry Conference, Coffs Harbour, NSW, 3-7th June 2007</i> , pp 480–488.	<a href="#">Here</a>	
<b>Wilkinson, GR</b> 2007, 'Forest management planning: basis for operations and control', in Magrath, William B, Grandalski, Richard L, Stuckey Gerald L, Vikanes Garry B, and Wilkinson, Graham R (eds), <i>Timber theft prevention: introduction to security for forest managers</i> , pp. 13–28, East Asia and Pacific Region Sustainable Development Discussion Paper, East Asia and Pacific Region Sustainable Development Department, World Bank, Washington, DC.		√
<b>2006</b>		
<b>Chuter, A</b> 2006, 'Distribution and ecology of three threatened <i>Boronia</i> species', a report to the Conservation Planning Section, Forestry Tasmania, Hobart, Tasmania.		√
<b>Chuter, AE</b> , Jordan, GJ, Dalton, PJ & <b>Wapstra, M</b> 2006, 'Spore germination and early gametophyte development of the soft tree fern <i>Dicksonia antarctica</i> ', <i>Tasforests</i> 17.		√
<b>Duncan, F</b> 2006, <i>Temperate Native Forests in Chile. Management, Conservation and Forest Practices</i> , report supported by Gottstein Memorial Trust fund and the FPA in 2005.		√
<b>Duncan, F</b> 2006, 'Native forests in Tasmania', in Davidson, N, Volker, P, Leech, M, Lyons, A and Beadle, C (Eds), <i>Farm Forestry – a technical and business handbook</i> , pp. 82–87, University of Tasmania, Hobart.		√



<b>Duncan, F</b> 2006, 'Biodiversity and conservation', in Davidson, N, Volker, P, Leech, M, Lyons, A and Beadle, C (Eds), <i>Farm Forestry – a technical and business handbook</i> , pp. 88–94, University of Tasmania, Hobart.		√
<b>Duncan, F</b> 2006, 'Identifying areas for conservation', in Davidson, N, Volker, P, Leech, M, Lyons, A and Beadle, C (Eds), <i>Farm Forestry – a technical and business handbook</i> , pp. 95–99, University of Tasmania, Hobart.		√
Grove, S, <b>Richards, K, Spencer, C</b> and Yaxley, B 2006, 'What lives under large logs in Tasmanian eucalypt forest?', <i>The Tasmanian Naturalist</i> , 128: pp 86–93.		√
Koch, N, <b>Munks SA</b> & Utesch, M 2006, 'Occurrence of the platypus in headwater streams in production forests in NE Tasmania', <i>Australian Zoologist</i> , 33 (4).		√
Koch, N; <b>Munks, SA</b> ; Utesch, M; Davies, PE; <b>McIntosh, PD</b> 2006, 'The platypus <i>Ornithorhynchus anatinus</i> in headwater streams, and effects of pre-Code forest clearfelling, in the South Esk River catchment, Tasmania, Australia', <i>Australian Zoologist</i> 33: pp 458–473.	<a href="#">Here</a>	
<b>McIntosh, PD</b> 2006, <i>Land stability on coupe NI114A and adjacent steepplands</i> , Forest Practices Authority scientific report 2, Forest Practices Authority, Hobart, 36 p.	<a href="#">Here</a>	
<b>McIntosh, PD</b> ; Price, DM 2006, 'Timing and causes of late Quaternary erosion events in lowland and mid-altitude Tasmania', <i>Legacy of an Ice Age. Abstracts of Conference Proceedings, Mungo Lodge, Lake Mungo</i> , 6–9 September 2006, pp 18–21.	<a href="#">Here</a>	
Wapstra, M, <b>Duncan, F</b> , Buchanan, A and Schahinger, R 2006, 'Finding a botanical Lazarus: tales of Tasmanian plant species "risen from the dead"', <i>The Tasmanian Naturalist</i> , 128: pp 61–85.		√
<b>Wapstra, M, Richards, K, Munks, SA</b> and Doran, NE 2006, Previously undescribed habitat of the Scottsdale burrowing crayfish <i>Engaeus spinicaudatus</i> (Decapoda: Parastacidae), <i>Tasmanian Naturalist</i> 128: pp 26–36.	<a href="#">Here</a>	
<b>Wilkinson, GR</b> 2006, 'Managing private forests for public benefit – the challenge for forest conservation in Australia', <i>Sustainable Forestry – Everyone Benefits. Conference papers of the Australian Forest Growers International Biennial Conference, Launceston, 22nd – 25th October 2006</i> , pp 81–92.	<a href="#">Here</a>	
<b>2005</b>		
Davies, PE, Cook, LSJ, <b>McIntosh, PD</b> and <b>Munks SA</b> 2005, 'Changes in stream biota along a gradient of logging disturbance, 15 years after logging at Ben Nevis, Tasmania,' <i>Forest Ecology and Management</i> 219: pp 132–148.	<a href="#">Here</a>	
<b>Davies, PE</b> , Cook, LSJ, <b>Munks, SA</b> and Meggs, J 2005, 'Astacopsis gouldii Clark: habitat characteristics and relative abundance of juveniles,' <i>Tasforests</i> 16: pp 1–18.	<a href="#">Here</a>	
<b>Davies, PE, McIntosh, PD, Wapstra, M</b> , Bunce, SEH, Cook, LSJ, <b>French, B</b> and <b>Munks, SA</b> 2005, 'Changes to headwater stream morphology, habitats and riparian vegetation recorded 15 years after pre- <i>Forest Practices Code</i> forest clearfelling in upland granite terrain, Tasmania, Australia', <i>Forest Ecology and Management</i> 217: pp 331–350.	<a href="#">Here</a>	
<b>Davies, PE</b> , Cook, LSJ, and Sloane, T 2005, <i>Defining headwater stream habitat suitability for juvenile Astacopsis gouldii</i> , Interim Report to the Forest Practices Board, Hobart.	<a href="#">Here</a>	
<b>Davies, SR, Duncan, F</b> and <b>Chuter, A</b> 2005, Sustainable harvesting of <i>Dicksonia antarctica</i> in wet forests in Tasmania, <i>International Forestry Review</i> 7(5): 11.		√
<b>Davies, SR</b> , Howieson, JG, Yates, RJ and Lane, PA 2005, 'Selection and evaluation of root nodule bacteria for <i>Dorycnium</i> spp', <i>Aust. J. Exp. Agr.</i> 45(2/3): pp 241–246.		√

<b>Davies, S, Duncan, F and Chuter, A</b> 2005, Sustainable harvesting of tree ferns ( <i>Dicksonia antarctica</i> ) in Tasmania', XXII IUFRO World Congress. August, 2005, Brisbane, <i>International Forestry Review</i> 7 (5): 11 (abstract).		√
<b>Duncan, F and Munks, SA</b> 2005, 'Conservation and management of grassy <i>Eucalyptus globulus</i> forests in southeast Tasmania', XXII IUFRO World Congress. August, 2005, Brisbane, presented paper. <i>International Forestry Review</i> 7 (5): 39 (abstract).		√
<b>Gaughwin, D</b> 2005, <i>Natural vs. cultural: the d'Entrecasteaux expedition</i> , pre-circulated paper presented at the 10 <sup>th</sup> UNESCO Universities Heritage Forum, Newcastle, U.K., April 2005.		√
Laffan, MD and <b>McIntosh, PD</b> 2005, <i>Forest soils formed in Jurassic dolerite in Tasmania: a summary of their properties, distribution and management requirements</i> , Forestry Tasmania Division of Forest Research and Development, Technical Report 25/2005, Forestry Tasmania, Hobart, 33 p.	<a href="#">Here</a> (2 MB)	
<b>McIntosh, PD</b> ; Laffan, MD and Hewitt, AE 2005, 'The role of fire and nutrient loss in the genesis of the forest soils of Tasmania and southern New Zealand,' <i>Forest Ecol. Manage.</i> 220: pp 185-215.	<a href="#">Here</a>	
<b>McIntosh, PD</b> and Laffan, MD 2005, 'Soil erodibility and erosion hazard: extending these cornerstone soil conservation concepts to headwater streams in the forestry estate in Tasmania', <i>Forest Ecol. Manage.</i> 220: pp 128–139.	<a href="#">Here</a>	
<b>Richards, K</b> 2005, <i>Survey for Phrantela pupiformis (Hydrobiidae: Mollusca), a threatened species of aquatic snail, from streams near the proposed Maydena Hauler site</i> , report to Forestry Tasmania, Hobart, Tasmania.		√
<b>Richards, K and Spencer, C</b> 2005, <i>A survey for the threatened Weldborough forest weevil (Enchymus sp. nov.: Curculinidae), on private property, NE Tasmania</i> , report to Forest Enterprises Australia.		√
<b>Wapstra, M, Adamczewski, K, Hovenden, M, Duncan, F and French, B</b> 2005, 'Effects of forest management practices on a localised Tasmanian endemic plant, the trailing riceflower <i>Pimelea filiformis</i> Hook.f. (Thymelaeaceae)', <i>Australian Forestry</i> 68: pp 211–220.		√
<b>Wapstra, M</b> and Doran, N 2004, 'Observations on a nesting hollow of yellow-tailed black cockatoo, and the felled tree that hosted it, in north-eastern Tasmania' <i>The Tasmanian Naturalist</i> 126: pp 59–63.		√
<b>Wapstra, M, French, B, Davies, N, O'Reilly-Wapstra, J and Peters, D</b> 2005, 'A bright light of the dark forest floor: observations of the fairy lanterns <i>Thismia rodwayi</i> F. Muell. (Burmanniaceae) in Tasmanian forests'. <i>Tasmanian Naturalist</i> 127: pp 2–18.		√
<b>2004</b>		
Bethge, P, <b>Munks, S</b> , Otley, H and Nicol, S 2004, 'Platypus burrow temperatures at a subalpine Tasmanian lake', <i>Proceedings of the Linn. Soc. of New South Wales</i> 125: pp 273–276.	<a href="#">Here</a>	
<b>Davies, PE</b> and Cook, L 2004, <i>Juvenile Astacopsis gouldi in headwater streams – relative abundance and habitat</i> , report to the Forest Practices Board, Hobart, Tasmania.	<a href="#">Here</a>	
Fox, JC, Regan, TJ, Wintle, BA, McCarthy MA, Yamada, K, Burgman, MA, Graham, K, Brown, MJ, Meggs, JM, Hickey, J, Grove, S, Wells, P, Bonham, K, Jones, M, Turner, P, Mesibov, R, <b>Munks, SA, Brereton, R</b> , Brown, WE, Mooney, N and Bekessy, SA 2004, <i>Linking landscape ecology and management to population viability analysis</i> , a project by the University of Melbourne prepared for Forestry Tasmania. 265 p.	<a href="#">Here</a> (3 MB)	

Meggs, J, <b>Munks, S</b> , Corkrey, R and <b>Richards, K</b> 2004, 'Development and evaluation of predictive habitat models to assist the conservation management of a threatened lucanid beetle, <i>Hoplogonus simsoni</i> , in northeast Tasmania', <i>Biol. Conserv.</i> 118: pp 501–511.	<a href="#">Here</a>	
<b>McIntosh, PD</b> 2004, <i>New guidelines for the protection of Class 4 streams</i> , Forest Practices Board report.	<a href="#">Here</a>	
<b>McIntosh, PD</b> 2004, 'New Guidelines for the protection of headwater streams in Tasmania,' in J Croke, S Mockler, and I Takken (eds): <i>Proceedings of the Third Forest Management Workshop, Canberra, 23–25 March, volume 1</i> , CRC for Catchment Hydrology, Melbourne, pp 87–93.		√
<b>McIntosh, PD</b> , Haywood, B, Davies, S, Giblin, M, Wilson, K and Harvey, A 2004, 'Forestry, water yields and water quality on the Koonya uplands, Tasmania – an example of a scientific enquiry addressing community concerns', in D Rutherford, I Wiszniewski, M Askey-Doran, and R Glazik (eds), <i>Proceedings 4<sup>th</sup> Australian Stream Management Conference, Launceston, Australia, 19–22 October 2004</i> , pp. 415–422.	<a href="#">Here</a>	
<b>McIntosh, PD</b> , <b>Kiernan, K</b> and Price, DM 2004, 'An aeolian sediment pulse at c. 28 kyr BP in southern Tasmania', <i>Journal of the Royal Society of New Zealand</i> 34: pp 369–379.	<a href="#">Here</a>	
<b>Munks, S</b> , <b>Richards, K</b> , Meggs, J, <b>Wapstra, M</b> and Corkrey, R 2004, 'Distribution, habitat and conservation of two threatened stag beetles, <i>Hoplogonus bornemisszai</i> and <i>H. vanderschoori</i> (Coleoptera: Lucanidae) in north-east Tasmania', <i>Australian Zoologist</i> 32(4): 586–596.	<a href="#">Here</a> (4.4MB)	
<b>Munks, S</b> <b>Eberhard, R</b> and <b>Duhig, N</b> 2004, 'Nests of the platypus <i>Ornithorhynchus anatinus</i> in a Tasmanian cave', <i>Tasmanian Naturalist</i> 126: pp 55–58.	<a href="#">Here</a>	
<b>Munks, SA</b> , Mooney, N, Pemberton, D and Gales, R 2004, 'An update on the distribution and status of possums and gliders in Tasmania, including off-shore islands', in RL Goldingay and SM Jackson (eds.), <i>The Biology of Australian Possums and Gliders</i> , Surrey Beatty & Sons, Chipping Norton, pp111–129.		√
<b>Munks, S</b> , <b>Richards, K</b> , Meggs, J and <b>Brereton, R</b> 2004, 'The importance of adaptive management in 'off-reserve' conservation for forest fauna: implementing, monitoring and upgrading of Swift Parrot <i>Lathmus discolor</i> conservation measures in Tasmania', in D Lunney (ed), <i>Conservation of Australia's Forest Fauna</i> (2nd edition), Royal Zoological Society of New South Wales. Mosman, NSW, pp 688–698.	<a href="#">Here</a> (2.5 MB)	
<b>Richards, K</b> 2004, <i>Survey for Beddomeia capensis (Hydrobiidae: Mollusca), a Threatened Species of Aquatic Snail, Table Cape farm &amp; Table Cape</i> , report to the Forest Practices Board, Hobart, Tasmania.		√
<b>Richards, K</b> 2004, <i>Survey for Beddomeia wiseae (Hydrobiidae: Mollusca), a Threatened Species of Aquatic Snail, Blizzards Ck and Allens Ck, Lileah</i> , report to Private Forest Reserve Program.		√
<b>Wapstra, M</b> & Doran, N 2004, 'Observations on a nesting hollow of yellow-tailed black cockatoo, and the felled tree that hosted it, in north-eastern Tasmania', <i>The Tasmanian Naturalist</i> , 126, pp 59–63.		
<b>2003</b>		
Bethge, P, <b>Munks, S</b> , Otley, H and Nicol, S 2003, 'Diving behaviour, dive cycles and aerobic dive limit in the platypus <i>Ornithorhynchus anatinus</i> ', <i>Comp. Biochem. Physiol. Part A</i> 136: pp 799–809.	<a href="#">Here</a>	
<b>Davies, S</b> and <b>McIntosh, PD</b> 2003, 'Soil survey of the Koonya district', in <b>PD McIntosh</b> , (ed) <i>Soil, water and summary reports for investigations into the effect of forestry operations on the Koonya uplands, Tasmania</i> , Forest Practices Board, Hobart, pp 5–20.	<a href="#">Here</a>	

<b>Gaughwin, D</b> and Forghani, A 2003, 'A mapping history', <i>Position Magazine</i> (Australasian Magazine of Surveying, Mapping and Geoinformation) 5: pp 69–71.		√
Jennings, SM, <b>Wilkinson, GR</b> and Unwin, GL 2003, 'Response of blackwood ( <i>Acacia melanoxylon</i> ) regeneration to silvicultural removal of competition in regrowth eucalypt forests of north-west Tasmania', <i>For. Ecol. Management</i> 177: pp 75–83.		√
<b>Kiernan, K</b> , Wood, C and Middleton, G 2003, 'Aquifer structure and contamination risk in lava flows: insights from Iceland and Australia', <i>Environmental Geology</i> 43 (7): pp 852–865.		√
Laffan, MD, <b>McIntosh, PD</b> and Neilsen, WA 2003, 'Forest soils derived from granite in northern Tasmania: an overview of properties, distribution and management requirements', <i>Tasforests</i> 14: 1–14.		√
Meggs, J and <b>Munks SA</b> 2003, 'Distribution, habitat characteristics and conservation requirements of a forest dependent threatened invertebrate <i>Lissotes latidens</i> (Coleoptera Lucanidae)', <i>J. Insect Conserv.</i> 7 (3): pp 137–153.		√
Meggs, J, <b>Munks, S</b> and Corkrey, R 2003, 'The distribution and habitat characteristics of a threatened lucanid beetle, <i>Hoplogonus simsoni</i> in north-east Tasmania', <i>Pacific Conserv. Biol.</i> 9 (3): pp 172–186.	<a href="#">Here</a> (3.3 MB)	
<b>McIntosh, PD</b> 2003, 'Estimated effects of potential forestry operations on water quantity, Koonya district', in <b>PD McIntosh</b> (ed), <i>Soil, water and summary reports for investigations into the effect of forestry operations on the Koonya uplands, Tasmania</i> , Forest Practices Board, Hobart, pp 27–35.	<a href="#">Here</a>	
<b>McIntosh, PD</b> (ed) 2003, <i>Soil, water and summary reports for investigations into the effect of forestry operations on the Koonya uplands, Tasmania</i> , Forest Practices Board scientific report 1, Forest Practices Board, Hobart, 46 p.	<a href="#">Here</a>	
<b>McIntosh, PD, Davies, S</b> and Haywood, B 2003, 'Summary of geological, soil and water investigations in the Koonya district', in <b>PD McIntosh</b> (ed), <i>Soil, water and summary reports for investigations into the effect of forestry operations on the Koonya uplands, Tasmania</i> , Forest Practices Board, Hobart, pp 36–46.	<a href="#">Here</a>	
<b>McIntosh, PD</b> , Laffan, M and Hewitt, A 2003, 'The role of fire and nutrient loss in the genesis of the forest soils of Tasmania and southern New Zealand', <i>Speaker Abstracts, 10th North American forest soils conference, July 20–24, 2003</i> , Canadian Forest Service, Sault Ste Marie, Canada, p18.		√
<b>McIntosh, PD</b> and Haywood, B 2003, 'Koonya B water quality' in ( <b>PD McIntosh</b> (ed), <i>Soil, water and summary reports for investigations into the effect of forestry operations on the Koonya uplands, Tasmania</i> , Forest Practices Board, Hobart, pp 21–26.	<a href="#">Here</a>	
<b>McIntosh, PD</b> and Laffan, MD 2003, 'Soil erodibility and erosion hazard: extending these cornerstone soil conservation concepts to headwater streams in the forestry estate in Tasmania', <i>Poster Abstracts, 10th North American forest soils conference, July 20–24, 2003</i> , Canadian Forest Service, Sault Ste Marie, Canada, p 43.	<a href="#">Here</a>	
Roberts, N, <b>Duncan, F, Wapstra, M</b> and Woolley, A 2003, <i>Distribution, habitat characteristics and conservation status of <i>Thismia rodwayi</i> f. Muell. in Tasmania</i> , A Forestry Tasmania Conservation Planning Branch and the Forest Practices Board Report.		√
Roberts, N, <b>Wapstra, M, Duncan, F</b> , Woolley, A, Morley, J and Fitzgerald, N 2003, 'Shedding some light on <i>Thismia rodwayi</i> f. Muell. (fairy lanterns) in Tasmania: distribution, habitat and conservation status', <i>Pap. Proc. of the R. Soc. Tasmania</i> 137: pp 55–66.		√

<b>Wapstra, M, Duncan, F, Williams, K and Walsh, D</b> 2003, 'The effect of silvicultural system on floristic composition in wet sclerophyll forest in southeastern Tasmania', <i>Australian For.</i> 66(4): pp 247–257.		√
<b>Wilkinson, GR</b> 2003, 'Designing the regulatory framework for the implementation of codes of forest practice – the Tasmanian experience', in <i>International Meeting of Experts on the Development and Implementation of National Codes of Practice for Forest Harvesting: Issues and Options 17–20 November 2003, Chiba, Japan</i> , pp 69–76.		√
<b>Wilkinson, GR</b> 2003 'The rise of the community forest watch-dog – increased public scrutiny of environmental performance', in EG Mason and CJ Perley (eds), <i>Australasian Forestry – A Strategic Vision, Conference of the Joint Australia and New Zealand Institute of Forestry, 27 April–1 May 2003, Queenstown, New Zealand</i> , pp 422–429.		√
<b>2002</b>		
Berger, GW, Pillans, BJ, Bruce, JG and <b>McIntosh, PD</b> 2002, 'Luminescence chronology of loess-paleosol sequences from southern South Island, New Zealand', <i>Quaternary Science Reviews</i> 21: pp 1899–1913.		√
Craven, B 2002, <i>Revised distribution and conservation status of Eucalyptus viminalis wet forest in Tasmania</i> , report to the Scientific Advisory Group to the Private Forest Reserve Program (CARSAG).		√
Dargavel, J, <b>Gaughwin, D</b> and Libbis, B (eds) 2002, <i>Australia's Ever-changing Forests. Proceedings of the Fifth National Conference on Australian Forest History</i> , published by the Centre for Resource and Environmental Studies, Australian National University, Canberra, and The Australian Forest History Society.		√
<b>Duncan, F, Wapstra, M and French, B</b> 2002, <i>Vegetation of three proposed dam sites in north-eastern Tasmania: Waterhouse Irrigation Project</i> , report to the Waterhouse Irrigation Committee Inc, March 2002.		√
Forghani, A and <b>Gaughwin, D</b> 2002, Spatial information technologies to aid archaeological site mapping, <i>GIS Development Journal</i> , June 2002, pp 1–3.		√
<b>Kiernan, K</b> 2002, <i>Forest Sinkhole Manual</i> , Forest Practices Board, Hobart, 35 p.		√
<b>Kiernan, K</b> 2002, 'Conservation, timber and perceived values at Mt Field, Tasmania', in J Dargavel, D Gaughwin and B Libbis (eds), <i>Proceedings of the Fifth National Conference on Australian Forest History</i> , published by the Centre for Resource and Environmental Studies, Australian National University, Canberra, and The Australian Forest History Society, pp 209–227.		√
<b>MacDonald, M</b> 2002, <i>Archaeological potential zoning: collation and analysis of Aboriginal site survey data</i> , report to the Forest Practices Board, Tasmania.		√
Mesibov, R, Bonham, KJ, Doran, N, Meggs, J, <b>Munks, S</b> , Otley, H and <b>Richards, K</b> 2002, 'Single-species sampling in Tasmania: An inefficient approach to invertebrate conservation?', <i>Invertebrate Systematics</i> 16: pp 655–663.	<b>Here</b>	
<b>McIntosh, PD</b> 2002, Forest management in soils on basalt talus.	<b>Here</b>	
<b>McIntosh, PD</b> 2002, Guidelines for forestry operations on soils formed in dolerite slope deposits (dolerite talus).	<b>Here</b>	
<b>Munks, S</b> 2002, <i>Aspects of conservation management of forest fauna in England, Scotland and Ireland: a two week study tour June–July 2002</i> , report to the Forest Practices Board, Hoart, Tasmania.	<b>Here</b>	
Turner, PAM and French, B 2002, <i>Riccardia cochleata (Hook, f &amp; Taylor) Kuntze and Polyphlebium venosum (R.Br.) Copel in the Bass Forestry District of Tasmania</i> , brief survey report for Melbourne University and Forestry Tasmania.		√

<b>Wapstra, M, French, B</b> and Ashlin, T 2002, 'Distribution, habitat characteristics and conservation status of the forest wire-grass <i>Ehrharta juncea</i> (R. Br.) Sprengel (Poaceae) in Tasmania', <i>Tasforests</i> 14: pp 77–92.		√
<b>Wells, F</b> 2002, <i>Classification and risk assessment of headwater streams to improve stream management in the forestry estate of Tasmania</i> , a report to the Forest Practices Board, Forestry Tasmania and Forest Industries Association, Tasmania.		√
<b>Wilkinson, GR</b> 2002, 'State government controls on land clearing', <i>Tasmanian Local Government News</i> October 2002: p 48.		√
<b>Wilkinson, GR</b> 2002, 'The Regulation of Firewood Harvesting in Tasmania', <i>Proceedings of Firewood Conferences, Natural Heritage Trust and the Bushcare National Projects</i> , pp181–182.		√
<b>2001</b>		
Bethge, P., <b>Munks, S.</b> , Nicol, S. (2001). Energetics of foraging, diving and resting in the Platypus <i>Ornithorhynchus anatinus</i> . <i>J.Comp Physiol B</i> 171: pp 497–506.		√
Bunce, S.E.H., <b>McIntosh, P.D.</b> , Davies, P.E. and Cook, L.S.J. (2001). Effects of pre-Code forest clearfelling on the geomorphology and sedimentology of headwater streams in upland granite terrain, Tasmania. Pp. 87–93 in: <i>Proceedings of the Third Australian Stream Management Conference (27–29 August, 2001, Brisbane, Queensland)</i> .	<b>Here</b>	
<b>Duncan, F., Wapstra, M. and French, B.</b> (2001). Vegetation of four proposed dam sites in northeastern Tasmania: Waterhouse Irrigation Project. Report to the Waterhouse Irrigation Committee Inc, November 2001.		√
<b>Kiernan, K.</b> (2001). Late Holocene landscape evolution in the Dazzler Range: new evidence. <i>Pap. Proc. R. Soc. Tasm.</i> 135: pp 15–20.		√
<b>Kiernan, K.</b> and Lauritzen, S-E. (2001). Dated speleothem evidence for uplift rates and terrace ages on the Tasmanian south coast, <i>Zeitschrift fur Geomorphologie</i> 45(2): pp 159–176.		√
<b>Kiernan, K.</b> , Lauritzen, S-E. and <b>Duhig, N.</b> (2001). Glaciation and cave sediment aggradation around the margins of the Mt Field Plateau, Tasmania. <i>Australian J. Earth Sci.</i> 48: pp 251–263.		√
Lynn, I.H., Lilburne, L.R. and <b>McIntosh, P.D.</b> (2001). Testing a soil-landscape model for dry greywacke steepplands on three mountain ranges in the South Island, New Zealand. <i>Aust. J. Soil Research</i> 40: pp 243–255.		√
<b>Munks, S.</b> and McArthur, C. (eds.) (2001). Plantation design and fauna conservation in Tasmania: Part 1, Workshop Abstracts. <i>Tasforests</i> 12: 161–172	<b>Here (1.8 MB)</b>	
<b>Munks, S., Wapstra, M., Richards, K., Wood, S. and French, B.</b> (2001). Risdon prison redevelopment site master planning project – Vegetation and fauna survey report. Report to the Justice Department.	<b>Here</b>	
Otley, H., <b>Munks, S A</b> , Hindell, M. (2001). Ecology of platypus in a sub-alpine Tasmania lake; activity patterns, movements and burrows. <i>Aust. J. Zool.</i> 48: 701–713		√
Radick, R., Radick, B., Cook. L. and <b>Munks S.A.</b> (2001). Observations of a platypus foraging in the sea and hunting of a platypus by a wedge-tailed eagle. <i>The Tasmanian Naturalist</i> 123: 2–4.		√
Scott, N.A., Saggar, S. and <b>McIntosh, P.D.</b> (2001). Biogeochemical impact of <i>Hieracium</i> invasion in New Zealand's grazed tussock grasslands: sustainability implications. <i>Ecological Applications</i> 11: 1311–1322.		√

Sim, R. and <b>West, D.</b> (2001). Raven Mad: The Analysis of bird bone from a West Point midden. Pp. 387–396 <i>in</i> : Anderson, A. O'Connor, S. and Lilley, I., eds): Histories of Old Ages. Essays in Honour of Rhys Jones. Australian National University Press, Canberra		√
<b>Wapstra, M.</b> (2001). Vegetation Survey - Ulverstone Quarries. Report to Threatened Species Unit (DPIWE).		√
<b>Wilkinson, G.R.</b> (2001) Reducing impact on forest stakeholders. <i>International Tropical Timber Organisation Tropical Forest Update</i> 11(2): 18.		√
<b>Wilkinson, G.R.</b> (2001). Building Partnerships – Tasmania's approach to sustainable forest management. Pp. 219–226 <i>in</i> : International Conference on the Application of Reduced Impact Logging to Advance Sustainable Forest Management: Constraints, Challenges and Opportunities, 26th February to 1st March 2001, Kuching, Sarawak, Malaysia, Compendium of Conference papers.	<u>Here</u>	
<b>Wilkinson, G.R.</b> and Drielsma, J.H. (2001). Rampaging plantations – cause or consequence of changing land use in rural Tasmania? Pp. 87–97 <i>in</i> : Forests in a Changing Landscape. Proceedings 16th Commonwealth Forestry Conference and 19th Biennial Conference of the Institute of Foresters of Australia, Fremantle Western Australia 18–25 April 2001.	<u>Here</u>	
<b>2000</b>		
Bonham, K. (2000). Assessment of the impacts of forest practices (clearfell and thinning) on terrestrial snails; a long term monitoring project. Report to Forest Practices Board.		√
<b>Craven, B., Duncan, F.</b> and Miller, G. (2000). Grasslands and grassy woodlands of significance in Mersey District, Forestry Tasmania. Report to Mersey District of Forestry Tasmania.		√
<b>Duhig, N., Munks, S., Wapstra, M.</b> and <b>Taylor, R.</b> (2000). Mortality rates of retained habitat trees in State forest coupes: a long-term monitoring project. Report to Forestry Tasmania and Forest Practices Board.		√
<b>Duncan, F.</b> (2000). If the cap fits wear it – an intriguing interaction between forest species at Stonehenge in the eastern Midlands of Tasmania. <i>Tasmanian Naturalist</i> 122.		√
<b>Forest Practices Board</b> (2000). Threatened Fauna Adviser (revised). Expert System Program.	No longer available	
<b>Forest Practices Board</b> (2000). Threatened Fauna Manual for Production Forests in Tasmania (third edition), Hobart.		√
Forghani, A. and <b>Gaughwin, D.</b> , (2000). <i>Identification of a Road Network in an Archaeological Site Using an Integrated GIS and RS Technique</i> . Pp. 1–6 <i>in</i> : Proceedings Second International Conference on Geospatial Information Agriculture and Forestry Lake Buena Vista, FL, USA, 10–12 January 2000.		√
Gilfedder, L., <b>Duncan, F.</b> , Doran, N., Blackhall, S. and Kitchener, A. (2000). Summary of potential impacts of salinity on biodiversity values in Tasmania. Report to National Salinity Program, Canberra.		√
<b>Hopkins, K.</b> (2000). Description, distribution and management of <i>Eucalyptus radiata</i> . Report to Mersey District of Forestry Tasmania.		√
<b>Hopkins, K.</b> (2000). Description, distribution and management of <i>Eucalyptus radiata</i> . Report to Mersey District of Forestry Tasmania.		√
<b>Kiernan, K.</b> (2000). Management issues and regulatory framework for forestry operations on karst in Tasmania. P. 46 <i>in</i> : International Symposium and Field Seminar, Present State & Future Trends of Karst Studies, International Research & Application Centre for Karst Water Resources, Turkey.		√

Laffan, M., Jordan, G. and <b>Duhig, N.</b> (2000). Impacts on soils from cable-logging steep slopes in northeastern Tasmania, Australia. <i>For. Ecol. Management</i> 144: 91–99		√
<b>McIntosh, P.D.</b> and Bunce, S. (2000). Preliminary investigation of long-term recovery of minor streams after logging. Pp. 17–19 <i>in</i> : (Cotching, B., ed.): “Current activities in Tasmanian Soil Science”; Workshop, Tasmanian Soils Technical Working Group, Proceedings, 25 July 2000. DPIWE, Launceston.		√
<b>Munks, S. A.</b> (2000). Diet of the common ringtail possum, <i>Pseudocheirus peregrinus</i> in coastal tea-tree on Flinders Island. <i>Tasmanian Naturalist</i> 122: 34–41		√
<b>Munks, S.</b> and Nicol, S. (eds.) (2000). Current research on the platypus, <i>Ornithorhynchus anatinus</i> in Tasmania: Abstracts from the 1999 ‘Tasmanian platypus workshop’. <i>Australian Mammalogy</i> 21(2): 259–266		√
<b>Munks, S.A.</b> and <b>Taylor, R.</b> (2000). Vocalisations of the common ringtail possum, <i>Pseudocheirus peregrinus</i> . <i>Tasmanian Naturalist</i> 122: 32–33		√
<b>Munks, S.A.</b> and <b>Taylor, R.J.</b> (2000). Conserving threatened fauna in production forests: the Tasmanian process. Pp. 670–74 <i>in</i> (Craig, J.L., Mitchell, N. and Saunders, D.A., eds.): <i>Nature Conservation in Production Environments: Managing the Matrix</i> . Surrey Beatty and Sons, Chipping Norton.\	<b>Here</b>	
Otley, H., <b>Munks, S. A.</b> , Hindell, M. (2000). Ecology of platypus in a sub-alpine Tasmania lake; activity patterns, movements and burrows. <i>Aust. J. Zool.</i> 48: 701–713.		√
<b>Wapstra, M.</b> , Thompson, V. and Hudler, P. (2000). Observations of echidnas using tree hollows. <i>Tasmanian Naturalist</i> 122: 29–31		√
<b>Wilkinson, G.R.</b> (2000). Trends in forest practices – north-west America. <i>IFA Newsletter</i> 41(1): 13–15.		√
<b>1999</b>		
Doran, N.E., <b>Kiernan, K.</b> , Swain, R. and Richardson, A.M.M. (1999). <i>Hickmania troglodytes</i> , the Tasmanian cave spider, and its potential role in cave management. <i>Journal of Insect Conservation</i> 3: 257–262.		√
<b>Duncan, F.</b> (1999). Dry sclerophyll forests and woodlands. In: J.B. Reid, R.S. Hill, M.J. Brown and M. Hovenden (eds). <i>Vegetation of Tasmania</i> . ABRS, Canberra.		√
<b>Forest Practices Board</b> (1999) .Threatened Fauna Adviser. Expert System Program. Forest Practices Board, Hobart.		√
<b>Gaughwin, D.</b> (1999). Species trials and arboreta in Tasmania. Pp. 329–341 <i>in</i> : (Dargavel, J. and Libbis, B. (eds): <i>Australia’s Ever Changing Forests. Proceedings of the Fourth National Conference on Australian Forest History</i> . Centre for Resource and Environmental Studies, Australian National University and the Australian Forest History Society Inc., Canberra		√
Hickey, J.E. and <b>Wilkinson, G.R.</b> (1999). Long-term regeneration trends from a silvicultural systems trial in lowland cool temperate rainforest in Tasmania. <i>Tasforests</i> 11: 1–22.		√
Hickey, J.E. and <b>Wilkinson, G.R.</b> (1999). The development and current implementation of silvicultural practices in native forests in Tasmania. <i>Aust. For.</i> 62: 245–254.		√
<b>Kiernan, K.</b> (1999). The southern margin of the Late Cainozoic ice cap on the Central Plateau of Tasmania. <i>AG</i> 30(1): 5–33.		√



Lane, M., Mackey, B., McCormack, R., Raison, J. and <b>Wilkinson, G.R.</b> (1999). Assessment of systems and processes for ecologically sustainable forest management in south-east Queensland, Report of the Independent Expert Advisory Group. Queensland Government Department of Natural Resources and the Commonwealth Government Forests Taskforce Department of Prime Minister and Cabinet, 81 pp.		√
Meggs, J.M. (1999). Broad-toothed stag beetle in SE Tasmania: distribution, habitat characteristics and conservation requirements. Report to the Forest Practices Board and Forestry Tasmania.		√
Meggs, J.M. and <b>Munks, S.A.</b> (1999). Conservation management of three threatened species of stag beetle in production forests in Tasmania. (Abstract.) P. 54 in: in Society for Conservation Biology, 12th Annual Meeting Proceedings. July 1998, Macquarie University, Sydney.		√
<b>Munks, S.A.</b> (1999). Nest use by the common ringtail possum <i>Pseudocheirus peregrinus</i> in teatree scrub on Flinders Island. <i>Tasmanian Naturalist</i> .		√
Neyland, M.G., <b>Wilkinson, G.R.</b> and Edwards, L.G. (1999). The Forestier silvicultural systems trial: Alternatives to clearfelling. <i>Tasforests</i> 11: 35–48.		√
Richards, R. (1999). Occurrence of <i>Hoplogonus bornemisszai</i> (Bornemisszas stag beetle) and <i>H.vanderschoori</i> (Vanderschoors stag beetle) in priority coupes, north-east Tasmania. A report to Forestry Tasmania and the Forest Practices Board.		√
<b>Wilkinson, G.R.</b> (1999). Codes of forest practice as regulatory tools for sustainable forest management. Pp. 43–60 in: (Ellis, R.C. and Smethurst, P.J. eds): <i>Practising Forestry Today</i> . Proceedings of the 18th Biennial Conference of the Institute of Foresters of Australia, Hobart, Tasmania, 3–8 October 1999.	<u>Here</u>	
<b>Wilkinson, G.R.</b> (1999). Implementing a code of forest practice – the Tasmanian experience. Pp. 192–200 in: (Sairusi Bulai, Tang Hon Tat, Kanawi Pouru and Masianini, B. eds): <i>Proceedings of Regional Consultation on Implementation of Codes of Logging Practice and Directions for the Future</i> , 12–16 July, 1999, Port Vila, Vanuatu.		√
<b>1998</b>		
<b>Craven, B.</b> (1998). Vegetation Management Plan for Knole Plain and Netherby Plain, Northwest Tasmania. Report to Forestry Tasmania and North Forests Burnie.		√
<b>Craven, B.</b> (1998). Vegetation Management Plan for Surrey Hills Grassland Reserves, Northwest Tasmania. Report to North Forests Burnie.		√
Eberhard, R. (1998). Planning for karst management in multiple-use forest: the Junee-Florentine karst study. <i>Tasforests</i> 10: 33–47.		√
<b>Kiernan, K.</b> (1998). Holocene landscape instability in the Dazzler Range, northern Tasmania. <i>Papers and Proceedings, Royal Society of Tasmania</i> 132: 35–40.		√
<b>Meggs, JM</b> 1998, <i>Surveys for Lissotes latidens (broad-toothed stag beetle) in priority coupes on the Forestier and Tasman Peninsulas</i> , a report to Forestry Tasmania and the Forest Practices Board.	<u>Here</u>	
<b>Munks, S. A.</b> , Gillard, P. and Bryant, S. (1998). A decision support program for the conservation of threatened fauna in Tasmanian Forests. (Abstract.) P. 54 in: Society for Conservation Biology, 12th Annual Meeting Proceedings. July 1998, Macquarie University, Sydney		√
<b>Wapstra, M</b> and <b>Taylor, R J</b> 1998, Use of retained trees for nesting by birds in logged eucalypt forest in north-east Tasmania. <i>Australian Forestry</i> 61(1): 48–52.		√
<b>1997</b>		

<b>Kiernan, K.</b> (1997). Geoconservation in Karst areas. <i>Cave &amp; Karst Management in Australia</i> 11: 17–24.		√
<b>Kiernan, K.</b> (1997). Inventory, forecasting and karst care. <i>Cave &amp; Karst Management in Australia</i> 11: 51–67		√
<b>Kiernan, K.</b> (1997). Scientific research in karst: environmental impacts. <i>Cave &amp; Karst Management in Australia</i> 11: 222–223.		√
<b>Kiernan, K.</b> (1997). Why a symposium on living with limestone? <i>Cave &amp; Karst Management in Australia</i> 11: 116–118.		√
Watson, J., Hamilton-Smith, E., Gillieson, D. and <b>Kiernan, K.</b> (1997). Guidelines for Cave and Karst Protection. International Union for the Conservation of Nature & Natural Resources Gland, Switzerland and Cambridge, UK. 63M		√
<b>1996</b>		
Colhoun, E.A., Hannan, D. and <b>Kiernan, K.</b> (1996). Late Wisconsin Glaciation of Tasmania <i>climate succession and glacial history of the southern hemisphere over the last five million years. Pap. Proc. R. Soc. Tasmania.</i> 130(2): 33–45		√
Cotching, W. and <b>Laffan, M.D.</b> (1996). Extending the profile in Tasmania. (Abstract.) Pp. 51–52 in: Proc. of Australian and New Zealand National Soils Conference, Melbourne, 1–14 <sup>th</sup> July 1996.		√
<b>Eberhard, R.</b> (1996). Age constraints for clastic sediments from two caves in the Junee-Florentine karst, Tasmania. <i>Pap. Proc. R. Soc. Tasmania.</i> 131: 67–72.		√
Doran, N. and <b>Richards, K.</b> (1996). Management requirements for rare and threatened burrowing crayfish in Tasmania. Report to the Tasmanian RFA Environment and Heritage Technical Committee.		√
<b>Duncan, F.</b> (1996). A field key to Tasmanian species of eucalypts. <i>Tasforests</i> 8: 27–38.		√
<b>Duncan, F.</b> (1996). Lowland forests and woodlands in northeast Tasmania. Pp. 97–106 in: Biogeography of Northeast Tasmania. <i>Records of Queen Victoria Museum and Art Gallery</i> 103.		√
<b>Kostoglou, P.</b> (1996). An archaeological survey of the Fortesque Bay Timber Tramway. Report to Derwent District, Forestry Tasmania.		√
<b>Kostoglou, P.</b> (1996). Dawson's Road: the first road to nowhere: an archaeological survey of the road and its features. Report to Forestry Tasmania.		√
<b>Kostoglou, P.</b> (1996). Historic timber getting in the southern forests: industry overview and assessment of its technology. Archaeology of the Tasmania Timber Industry Report No 8. Report to the Tasmanian Forest Research Council and Forestry Tasmania.		√
<b>Laffan, M.D.</b> , Grant, J.C. and Hill, R.B. (1996). A method for assessing the erodibility of Tasmanian forest soils. <i>Aust. J. Soil and Water Cons.</i> 9(4): 16–22.		√
<b>Laffan, M.D.</b> , Grant, J.C. and Hill, R.B. (1996). Forest soils of North-East Tasmania: Distribution, Properties and Constraints for Plantation Forestry. Pp.33–43 in (Mesibov, R. ed): Biogeography of northeast Tasmania. <i>Records of the Queen Victoria Museum Launceston</i> 103.		√
<b>Munks, S.A.</b> (ed.) (1996). A guide to riparian vegetation and its management. Department Primary Industries and Fisheries, Launceston, Tasmania. 174 p.		√
Osler, G.H.R., West, P.W. and <b>Laffan, M.D.</b> (1996). Test of system to predict productivity of eucalypt plantation in Tasmania. <i>Aust. For.</i> 59(2): 45–51.		√
<b>1995</b>		

<b>Duncan, F.</b> and Brown, M.J. (1995). Edaphics and fire: an interpretative ecology of forest vegetation on granite in northeast Tasmania. <i>Proc. Linn. Soc. of N.S.W.</i> 115: 45–60.		√
<b>Duncan, F., Wapstra, M.</b> and Walsh, D. (1995). Variation in leaf shape of <i>Hakea epiglottis</i> . <i>Tasmanian Naturalist</i> 117: 44–48.		√
<b>Gaughwin, D.</b> (1995). Chinese settlement sites in North East Tasmania. Pp. 230–245 in: (Macgregor, P. ed: <i>Histories of the Chinese in Australasia and the South Pacific</i> . Museum of Chinese History, Melbourne.		√
<b>Gaughwin, D.,</b> Beasley, C., <b>McConnell, A.</b> and Smith A. (1995). Recent research in Tasmania's forests. Poster presentation to Australian Archaeological Association Annual Conference, Gatton December 1995.		√
<b>Gaughwin, D.</b> (1995). Trade, capital and the development of the extractive industries of North East Tasmania. <i>Australian J. Historic Archaeol.</i> 10: 55–64		√
<b>Gaughwin, D</b> and Fullagar, R. 1995. Victorian islands in a mainland economy. <i>Australian Archaeology</i> 40: 38–50		√
<b>1994</b>		
<b>Eberhard, R.</b> (1994). Inventory and Management of the Junee River Karst System, Tasmania. A report to Forestry Tasmania.		√
<b>Kiernan, K. Eberhard, R.</b> and Shannon, C.H.C. (1994). Further hydrogeological investigations of the Mill Creek–Kansas Creek area, northern Tasmania. <i>Tasforests</i> 6: 6–22.		√